

UNITED STATES DEPARTMENT OF AGRICULTURE

FEDERAL HORTICULTURAL BOARD.

C. L. Marlatt, Chairman; W. A. Orton, Geo. B. Sudworth, W. D. Hunter, Karl F. Kellerman. R. C. Althouse, Assistant to the Chairman, E. R. Sasscer, Entomologist in Charge, Plant Quarantine Inspection Service: R. Kent Beattie, Pathologist in Charge, Foreign Plant Quarantine Service.

ANNUAL LETTER OF INFORMATION, No. 36.

Pests Collected From Imported Plants and Plant Products from January 1, 1922, to December 31, 1922, Inclusive.

NOTES ON ENTOMOLOGICAL INTERCEPTIONS.

The long list of insects which follows forcibly emphasizes the danger which attends the introduction of plants and plant products and the importance of protecting American horticultural interests from these pests, many of which at the present time are not known to occur in the United States. No less than 123 recognized species of scale insects, not including many which could only be placed generically, were intercepted on incoming plants and fruits. Thirty known species of ants were taken either on shipments of plants or plant products, or on ships arriving at various ports of entry. As in the case of scale insects, there were a number which could not be identified beyond the genus. The same condition applies to other important groups of insects.

MISCELLANEOUS INSECTS.

Nests of the sorrel cutworm, Acronycta rumicis, were intercepted on five shipments of fruit and rose stocks from France, and 156 nests of the white tree pierid, Aporia crataegi, were taken on shipments of fruit and rose stocks from the same country. Neither of these insects is known to be established in the United States. European literature reports the former to be an omniverous feeder, attacking the foilage of strawberries, hops, and various shrubs and trees. The latter is also credited to be a general feeder, attacking the foliage of fruit trees, wild rosaceous plants, and deciduous shade trees. The brown-tail moth, Euproctis chrysorrhoea, arrived with two shipments of fruit stocks from France, and Emphytus cinctus was taken on shipments of manetti stocks from England, France, Holland, and Ireland. Pear trees from Japan were infested with the oriental fruit moth, Laspeyresia molesta, and apple trees from New Zealand exhibited larvæ of L. pomonella, both lots intercepted with passengers' baggage. Egg masses of the European lackey moth, Malacosoma neustria, accompanied plants from France. The larvæ of this insect are reported to strip infested trees of foliage and attack fruit and ornamental trees.

Commercial shipments of Hungarian broom corn arrived in New York infested with larvæ of the European corn borer, Pyrausta nubilalis, and one mail consignment of broom corn sam-

ples, posted in France, containing larvæ reached Indiana.

Cottonseed from Brazil in the possession of a passenger arriving at Baltimore was found to be infested with larvæ of the pink bollworm, *Pectinophora gossypiella*. This was a very fortunate interception, since the owner proposed to carry the seed to Mississippi. This insect was also found in New York in cotton and cotton waste used as packing around souvenirs by a passenger from St. Kitts. In addition to the instances referred to, infested seed was received from Egypt, Porto Rico, and the British West Indies, and cotton bolls from Hawaii.

Narcissus bulbs from France and Holland were infested with the narcissus fly, Merodon equestris, and larvæ of the lesser bulb fly, Eumerus strigatus, were quite abundant in the same type of bulbs from Holland, one bulb revealing 77 maggots. Larvæ of a wireworm, Corymbites aeneus, were also taken in Holland-grown narcissus bulbs. As in former years, the bulb mite, Rhizoglyphus hyacinthi, was present on a great variety of bulbs from practically all countries exporting to the United States. Iris rhizomes from England, Holland, and France were found to be infested with Annuraphis tulipæ, and another aphid, Micromyzus tulipæella, was present on iris from England. The European earwig, Forficula auricularia, was also present with shipments of iris from France and miscellaneous bulbs from Holland.

The citrus black fly, Aleurocanthus woglumi, was intercepted on foliage of plants on 13 occasions, arriving either as ships' stores or passengers' baggage from Cuba, Jamaica, and Nassau, Bahama Islands, and the woolly white fly, Aleurothrixus howardi, was taken 5 times on citrus foliage from Cuba, and once on banana from Porto Rico. Cardin's white fly, Aleurodicus cardini, arrived on guava leaves from Cuba. Lithraea caustica from Chile was infested with Aleuroparadoxus punctatus, and citrus foliage from Porto Rico bore pupæ of Aleurothrixus floccosa.

The avocado weevil, Heilipus lauri, was found in avocado seed in the possession of passengers arriving from the interior of Mexico, as was also the mango weevil, Sternochetus mangiferæ, in mango seed from Hawaii. Two injurious white ants or termites not known to occur in this country are listed in this letter, namely, Reticulitermes speratus in Paulownia logs from Japan and Nasutitermes sp. in fiber plants from Colombia. It appears that the distribution of the former is limited to Japan and Formosa, and the latter represents a genus which includes species known to be destructive wood borers and injurious to plants.

The sweet-potato weevil, Cylas formicarius, and the West Indian sweet-potato weevil, Euscepes batatx, were found on several occasions infesting sweet potatoes in ships' stores or in possession of passengers. The former was in tubers from China, Cuba, Nassau, Bahama Islands, and Haiti, and the latter from Brazil, Trinidad, and Barbados. The sweet-potato stem borer, Omphisa anastomosalis, which attacks sweet potatoes and other garden crops, arrived in sweet potatoes from China. This insect was introduced into Hawaii about 1900 and has become quite a pest. Irish potatoes used as ships' stores and taken on board in Mexican ports were infested with grubs of Trypopremnon sp., presumably T. latithorax, which hitherto has been known to occur only in Peru and Bolivia. Infested tubers are riddled by these grubs, rendering them unfit for consumption.

INSECTS IN SOIL.

A number of injurious insects were located in soil surrounding plants, most of which were in the possession of passengers, and were intercepted by inspectors of this Board in cooperation with customs inspectors at various ports of entry. Several species of wireworms accompanied soil around roots of plants, such as Agriotes lineatus with spruce, dahlias, and hyacinths from Sweden, Switzerland, and Finland, respectively; an unrecognized species of Agriotes around roots of dahlias and dwarf spruce from England and Belgium; Ludius sp. about the roots of hemlock and spruce from Nova Scotia; Limonius sp. and Ischnodes sp. with Scotch heather from England; Corymbites anenus from Norway; and Betarmon bigeminatus with balsam spruce from British Columbia.

Larvæ of the following Curculionids were also found: Brachyrhinus sulcatus with rose

from Germany, Liosoma deflexum from England, and Odontomaches sp. from Java.

Ants, some of which are new to this country, were frequently met with, the more important being Technomyrmex albipes, Tetramorium sp., and Prenolepis sp. from Ceylon, Tetramorium guineensis from British Columbia, Prenolepis sp. from Argentina, Myrmica levinodis from Sweden, Tetramorium caespitum from Philippine Islands, Myrmica ruginodis from Germany, Solenopsis geminata from Java, Lasius umbratus subumbratus, and Leptothoras acervorium canadensis from Novia Scotia.

Other insects in soil include Lepidopterous larvæ, such as *Epinota meritana* with balsam spruce from British Columbia, and a pyralid from Denmark, as well as the following earwigs: *Gonolabis javana*, and *Labia* sp. from Java, *Labia curvicauda* from Ceylon, *Anisolabis annulipes*

from China, and Chelisoches morio from Cevlon.

INSECTS IN FRUIT.

Largely as the result of ship and baggage inspection at the principal ports of entry, a number of insects injurious to various kinds of fruits were intercepted. The Mediterranean fruit fly, Ceratitis capitata, was found to infest an apple on a vessel arriving from Algeria, and was also taken in mangoes, avocadoes, and coffee berries from Hawaii. Cucumbers and tomatoes from Hawaii were infested with the maggots of the melon fly, Bactrocera curcubitæ, and mangoes from Jamaica were infested with the papaya fruit fly, Toxotrypana curvicauda. The Mexican fruit fly, Anastrepha ludens, was found to infest limes, oranges, and mangoes from Mexico, and sapodillas from Nicaragua. The West Indian fruit fly, Anastrepha fraterculus, was taken in Cuban plums and mangoes from Cuba, and mangoes from Jamaica. Larvæ of Anastrepha sp., probably A. fraterculus, were also infesting Pejibayes fruit from Costa Rica, and mangoes from Jamaica. An unrecognized species of Ceratitis was collected in quince from Argentina.

Larvæ of a sugar-cane borer, *Metamasius sericeus*, were discovered to infest fruit of Pejibayes from Costa Rica. This appears to be the first record of the occurrence of the larvæ of this insect in fruit, although in former years they have been collected in sugar-cane and

stems of banana leaves.

NOTES ON PATHOLOGICAL INTERCEPTIONS.

Citrus canker has again been intercepted a number of times on fruit found in passengers' baggage at the Pacific coast ports. These interceptions have included material from Japan, Philippine Islands, and Siam arriving at San Francisco, Seattle, and Honolulu. *Phoma citricarpa*, the black spot disease of citrus, a serious disease of the round orange in China, Japan, and Australia, was found and intercepted on fruit in passengers' baggage at San Francisco.

Sugar-cane cuttings from China growing in quarantine at Washington developed mosaic, adding another locality to the known distribution of the disease. Bamboo plants from the same country also developed symptoms typical of mosaic while growing in quarantine for observation. A leaf rust (*Uredo* sp.) also appeared on the leaves of the same plants.

Commercial plant material entering under special permit for propagation purposes and passing through the Washington, D. C., inspection house has in the main been free of new or dangerous diseases. A Botrytis (B. cinerea?) is very common on herbaceous material (Astilbe, Papaver, Anchusa, etc.) and on roses. Development of this widespread fungus largely results from poor packing and heating or other unfavorable conditions during shipment.

Fruit and rose stock continue to be uniformly infected with crown gall, the percentage of diseased plants varying from one-half of 1 per cent to 30 or 40 per cent in one shipment

inspected in Illinois.

LIST, BY COUNTRIES, OF PESTS COLLECTED AND REPORTED FROM JANUARY 1, 1922, TO DECEMBER 31, 1922, INCLUSIVE.

[All findings in the District of Columbia and those marked with an asterisk indicate Federal inspection.]

Country of origin and name of pest.	Host.	Collected in—
AFRICA. Insects:		,
Araecerus fasciculatus (coffee-bean weevil) Do Calendra oryzae (rice weevil) Carpophilus dimidiatus (corn sap-beetle) Carpophilus sp. (Nitidulidae) Chionaspis citri (orange Chionaspis) Lepidosaphes beckii (purple scale) Do Monomorium pharaonis (Pharaoh's ant) Mylabris obtectus (bean weevil) Mylabris sp. (Mylabridae) Oecophorid Parlatoria ziziphus (scale insect)	Cocos nucifera (coconut) Dioscorea praehensilis. Citrus sinensis (orange) Citrus nobilis (tangerine). Citrus sinensis (orange) Unknown. Phaseolus lunatus macrocarpus Acacia sperocarpa Bolusanthes speciosus (seed) Citrus nobilis (tangerine).	District of Columbia. Do. Maryland.* District of Columbia. Florida. Do. District of Columbia. Do. Do. Do. Do. Florida.

Country of origin and name of pest.	Host.	Collected in—
AFRICA—continued.	,	
Insects—Continued. Rhizoglyphus hyacinthi (bulb mite) Rhizopertha dominica (lesser grain borer) Stephanoderes sp. (Scolytidae)	Oryza sativa (Temne rice)	Pennsylvania.* District of Columbia. Do.
Tribolium sp. (Tenebrionidae)		Maryland.*
Alternaria. Fusarium heterosporum Fusarium sp. Phomopsis sp. Rhizopus nigricans. Tilletia. Ustilago hordei.	Capriola sp. Ipomoea batatas (sweet potato) Ochna atropurpurea. Ipomoea batatas (sweet potato) Triticum aestivum (wheat).	New York.* District of Columbia. Pennsylvania.* District of Columbia. Pennsylvania.* District of Columbia. Do.
ALGERIA.		
Ceratitis capitata (Mediterranean fruit fly) Parlatoria pergandii (chaff scale)	. Malus sylvestris (apple)	Massachusetts.* Pennsylvania.*
ARGENTINA. Insects:		
Aphis sp. (aphid)	Prunus domestica (plum)	District of Columbia. New York.* Pennsylvania.*
Ceratitis sp. (Trypetidae) Chrysomelid Dermestes sp. (Dermestidae)	Cydonia oblonga (quince)	New York.* Pennsylvania.*
Diaspis boisduvalii (Boisduval's scale) Diarraea sp. (Pyralidae)	Cocos weddeliana	Do.
Diploiulus luscus (myriopod) Histiostoma sp. (mite) Julus sp. (myriopod) Lamyctinus coeculus (myriopod)	In soil with Cocos weddeliana	Do. Do. Do.
Do	In soil with ferns	Do. District of Columbia
Opeas gracile (Mollusca)	Cocos weddeliana	Do. Do.
Orthomorpha sp. (myriopod)	In soil with ferns	Do.
Tortricid	Cydonia oblonga (quince)	New York.*
Do		Massachusetts.*
Fusarium Sphaeropsis malorum	do	Florida. New York.*
AUSTRALIA. Insects:		
Calendra oryzae (rice weevil)	Citrus limonia (lemon)	. Hawaii. California.
Crematogaster sp. (ant) Hemichionaspis sp. (scale insect) Laemophloeus ferrugineus (Cucujidae) Lepidosaphes beckii (purple scale)	Macadamia ternifolia	District of Columbia Do. Oregon.*
Oryzaephilus surinamensis (saw-toothed grain beetle). Pseudococcus sacchari (sugar-cane mealybus	•	1
Pseudcooccus sp. (mealybug) Rhizoglyphus hyacinthi (bulb mite) Tetramorium sp. (ant)	Cocos nucifera (coconut) (2)	. California. . New York.*
Diseases: Melanconium sacchari. Urocvstis agropyri.	Saccharum officinarum (sugar-cane) Agropyron scabrum	

List, by countries, of pests collected and reported from January 1, 1922, to December 31, 1922, inclusive—Continued.

Country of origin and name of pest.	Host.	Collected in—
AUSTRIA.		
nsects:		
Mylabris pisorum (pea weevil)		New York.*
Tenebrio obscurus (dark mealworm)	. Panicum miliaceum (broom corn)	Do.*
4.50 p.mg		
AZORES.		4
Anobium sp. (Anobiidae)	. Wood from packing case	New York.*
Caulotropis aneopiceus (Cossoriidae)	dodo	Do.*
Fiorinia fioriniae (scale insect)		Do.*
Lepidosaphes beckii (purple scale)		Do.*
Mylabris pisorum (pea weevil)		Do.*
Sitotroga cerealella (Angoumois grain moth).	Zea mays (corn)	Do.*
Toxoptera aurantiae (aphid)	Camellia	Do.*
Trypopitys carpini (Anobiidae)		Do.*
J.F. F. J. F.	1	
BAHAMA ISLANDS.		
Aleurocanthus woglumi (citrus black fly)	Achras sapota (sapodilla)	Florida.
Do		Do.
Do		Do.
Aleyrodid		Do.
Aphis sp. (aphid)		New York.*
Aspidiotus hederae (ivy scale)	Palm	Florida.
Aspidiotus lataniae (scale insect)		Do.
Aspidiotus cocotiphagus (scale insect)		Do.
Asterolecanium sp. (scale insect)	Air plant	Do.
Calendra oryzae (rice weevil)		Do.
Chloridea obsoleta (corn earworm)	Zea mays (corn) (2)	Do.
Chloridea sp. (Noctuidae)	Zea mays (corn)	Do.
Chrysomphalus aonidum (Florida red scale).	Citrus sp	Do.
Do	. Rosa sp. (rose)	Do.
Chrysomphalus dictyospermi (scale insect)		Do.
Chrysomphalus personatus (masked scale)		Do.
Chrysomphalus sp. (scale insect)	. Twigs	Do.
Coccus acuminatus (scale insect)	. Spice	Do.
Coccus hesperidum (soft brown scale)		Do. New York.*
Coccus viridis (coffee scale)		Do.*
Coccus sp. (scale insect)	do	Florida.
Cylas formicarius (sweet-potato weevil)		Do.
Diaspis boisduvalii (Boisduval's scale)		New York.*
Eucalymnatus tessellatus (tesselated scale)	Chrysophyllum cainito (star apple)	Florida.
Heliothrips rubrocinctus (red-banded thrips)		Do.
Hemichionaspis minor (scale insect)		Do.
Do		New York.*
Do	Palm	Florida.
Howardia biclavis (mining scale)	. Achras sapota (sapodilla) (2)	Do.
Do	Tamarindus sp. (tamarind)	Do.
Lepidosaphes beckii (purple scale)	Citrus aurantifolia (lime)	Do.
Do	. Citrus sp	Do.
. Do	. Croton sp.	Do.
Lepidosaphes sp. (scale insect)	. Poinciana	Do.
Macrosiphum rosae (large rose aphid)	Rosa sp. (rose)	Do. New York.*
Pseudaonidia articulatus (rufous scale)	. Achras sapota (sapodilla)	Florida.
Do	Canipe (2)	Do.
Do		Do.
Do		Do.
Do		Do.
Do	TT 1 (0) 1	Do.
Pseudococcus adonidum (long-tailed mealy-	Croton sp	Do.
bug).		
Ďο	Spice	Do.
Proudococcus en (moslyhue)	Asparagus plumosus	Do.
(h aminu h arigal gools)	Palm	Do.

Country of origin and name of pest.	Host.	Collected in—
BAHAMA ISLANDS—continued.		
nsects—Continued.		
Saissetia oleae (black scale)		Florida.
Do		Do.
DoTargionia sacchari (scale insect)	Gossypium sp. (cotton seed)	Do. Do.
Vinsonia stellifera (star scale)	Achras sapota (sapodilla)	New York.*
Do		Florida.
BARBADOS.		
nsects:		
Aspidiotus destructor (scale insect)	Ficus (?)	New York.*
Coccus viridis (coffee scale)		Florida.
Euscepes batatae (West Indian sweet-potato weevil).	Ipomoea batatas (sweet potato) (2)	New York.*
Lepidosaphes beckii (purple scale)	Citrus aurantifolia (lime)	Florida.
Necrobia rufipes (red-legged ham beetle)	Ipomoea batatas (sweet potato)	Pennsylvania.*
Parlatoria sp. (scale insect)	Citrus aurantifolia (lime)	
Pinnaspis buxi (scale insect)	Dracaena sp	
Prolabía arachidis (earwig)	Ipomoea batatas (sweet potato)	Pennsylvania.*
Pseudaonidia articulatus (ruious scale)	Citrus aurantifolià (lime)do	Florida.
Tarrionia hartii (goala ingoet)	Diogeoree an (yem)	Do. Do.
Do	Dioscorea sp. (yam)do	District of Columbia.
		District of Columbia.
BELGIUM.	•	
Agriotes sp. (Elateridae)	In soil with dwarf spruce	Pennsylvania.*
Macrosiphum sp. (aphid)	In soil with dwarf spruce	District of Columbia.
Ortheziola vejdovskyi (scale insect)	do	Do.
		·
BERMUDA. Insects:		
Aspidiotus cyanophylli (scale insect)	Coccolobis uvifera (sea grape)	New York.*
Aspidiotus lataniae (scale insect)	do	Do.*
Do		Do.*
Asterolecanium miliaris (scale insect)		Do.*
Aulacaspis pentagona (West Indian peach scale).	h Geranium sp. (2)	Do.*
Do	Narium oleander (oleander) (2)	Do.*
Do	1 - 1 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 -	Do.*
Aulacaspis sp. (scale insect)	Nerium oleander (oleander)	Do.*
Carpophilus sp. (Nitidulidae)	Sago palm (offshoots)	Do.*
Ceroplastes sp. (scale insect)	Clerodendron balfouri	Do.*
Chrysomphalus dictyospermi (scale insect)	Pandanus sp. (screw-pine)	Do.*
Coccus elongatus (long soft scale)	Croton sp. (2)	Do.*
Hemichionaspis aspidistrae (aspidistrae scale).	a Aspidistra	Do.*
Lepidosaphes beckii (purple scale)	Citrus sinensis (orange)	Do.*
Do	Citrus sp. (twics)	Do *
Do		Do.*
Monomorium pharaonis (Pharaoh's ant)	Bambusa sp. (bamboo)	Do.*
Morganella longispina (scale insect)		Do.*
Morganella maskelli (scale insect)		Do.*
Nitidulid		Do.*
Orthotylus sp. (Miridae) Pheidole sp. (ant)		
Protopulvinaria pyriformis (pyriform scale).	Ivy (2)	
Pseudococcus bromeliae (pineapple mealy bug	g). Saccharum officinarum (sugar cane)	
Pseudococcus citri (citrus mealybug)	Croton sp	
Pseudoparlatoria parlatorioides (scale insect	c). Acalypha sp. (?)	Do.*
Pyralid	Nerium oleander (oleander)	Do.*
Saissetia hemisphaerica (hemispherical scale	e). Croton sp	Do.*
Uniquetia misma (goals imposet)	Hibiscus sp. (3)	Do.*
Saissetia nigra (scale inseect)		
DoSaissetia figra (scale insect)	Sedum.	Do.*

List, by countries, of pests collected and reported from January 1, 1922, to December 31, 1922, inclusive—Continued.

Country of origin and name of pest.	Host.	Collected in—
borneo.		
Insects:		
Prenolepis longicornis (crazy ant)	Ananas sativus (pineapple)	Hawaii.
Prenolepis sp. (ant)		Do.
Pseudococcus sp. (mealybug)	· · · · · · · · · · · · · · · · · · ·	Do.
Tenebrioides mauritanica (cadelle)	Castanea argentea	District of Columbia.
BRAZIL.		
Chrysomphalus aonidum (Florida red scale).	. Hibiscus sp.	New York.*
Do	- Palm	Do.*
Chrysomphalus sp. (scale insect)	. do	Do.*
Curculionid	. Eugenia klotzschiana	District of Columbia
Diaphania nitidalis (Pyralidae)	. Cucumis sativus (cucumber)	New York.*
Diaspis boisduvalii (Boisduval's scale)	. Laelia cattleya	District of Columbia
Do	. Rhipsalis.	Do.
Dysdercus ruficollis (Pyrrhocoridae)	Unknown	Do.
Euscepes batatae (West Indian sweet-potato	Ipomoea batatas (sweet potato)	New York.*
weevil).	7. (2)	u
Ischnaspis longirostris (thread scale)	- Palm (2)	Do.*
Lepidosaphes albus (scale insect)	Manihot (cuttings)	Do.*
Lepidosaphes beckii (purple scale)		Do.*
Do		California.
Do		District of Columbia
Leucaspis cockerelli (scale insect)	- Palm (2)	New York.*
Mylabris obtectus (bean weevil)	Preto beans	District of Columbia
Mylabris sp. (Mylabridae)		Do.
Necrobia ruficollis (Corynetidae)	Unknown	Pennsylvania.*
Oryzaephilus surinamensis (saw-toothed	Mangifera indica (mango) seed	District of Columbia
grain beetle).	(commission of (cotton cood)	M1 4 *
Pectinophora gossypiella (pink bollworm)		Maryland.*
Do		Pennsylvania.*
Pinnaspis buxi (scale insect)		New York.* Do.*
Pseudococcus nipae (palm mealybug)	Palm (2)	Do.*
Pseudococcus sp. (mealybug)	Laelia cattleya.	District of Columbia
Do		District of Columbia
Pyralid	Gossypium sp. (cotton seed)	Do.
Tribolium ferrugineum (rust-red flour beetle).	Preto beans.	Do.
Diseases:	lieto beans	Б0.
Diplodia manihoti	Manihot sp	New York.*
Heterodera radicicola		District of Columbia
Phomopsis citri	Citrus grandis (grapefruit)	California.
Do		Do.*
BRITISH COLUMBIA.		
nsects:		
Betarmon bigeminatus (Elateridae)	In soil with balsam spruce	Pennsylvania.*
Brachyiulus pusillus (myriopod) Epinotia meritana (Tortricidae)	. . <u>.</u> do	Do.*
Epinotia meritana (Tortricidae)	Balsam spruce	Do.*
До	In soil with balsam spruce	Do.*
Geophilus alaskanus (myriopod)	- do	Do.*
Gnathomerium melanonotum (myriopod)	do	Do.*
Lepidosaphes ulmi (oyster-shell scale)	Kibes sp.	District of Columbia
Linotaenia fulva (myriopod)	In soil with paisam spruce	Pennsylvania.*
Parajulus spp. (myriopod)	do	Do.* Do.*
		Du.
BRITISH EAST AFRICA.		
nsects: Carpophilus dimidiatus (corn sap beetle) Tribolium ferrugineum (rust-red flour beetle).	Telfairia pedata seedsdo	District of Columbia.
BRITISH GUIANA.		
nsect:		,
Prenolepis longicornis (crazv ant)	Clusia sp	District of Columbia.

List, by countries, of pests collected and reported from January 1, 1922, to December 31, 1922, inclusive—Continued.

Country of origin and name of pest.	Host.	Collected in—
BRITISH HONDURAS. Insects: Lepidosaphes sp. (scale insect)	Milpa Frijoles (bean seed)	District of Columbia Do. Do.
BRITISH WEST INDIES. Insects: Pectinophora gossypiella (pink bollworm) Targionia hartii (scale insect)	Gossypium sp. (cotton seed) (2) Dioscorea sp. (yam)	New York.* District of Columbia
CANADA. nsects: Aulacaspis rosae (rose scale) Megastigmus tsugae (seed chalcid)	Rosa sp. (rose)	District of Columbia
Disease: Melanconium sacchari	Saccharum officinarum (sugar-cane)	California.
CANAL ZONE. Insects: Chrysomphalus sp. (scale insect) Heilipus sp. (Curculionidae) Lepidosaphes beckii (purple scale)	Persea gratissima (avocado)	Florida. New York.* California.
Do	Citrus sinensis (orange) (3)	Do. California.* Do.*
Insects: Aspisiotus hederae (ivy scale) Pseudococcus citri (citrus mealybug) Saissetia oleae (black scale)	Unknown	Florida. Do. Do.
CENTRAL AMERICA. Insects: Aspidiotus cyanophylli (scale insect). Aspidiotus syloniae (scale insect). Aspidiotus sp. (scale insect). Azteca sp. (ant). Chrysomphalus aonidum (Florida red scale). Chrysomphalus dictyospermi (scale insect). Chrysomphalus scutiformis (scale insect). Icerya purchasi (cottony cushion scale). Icerya sp. (scale insect). Iridomyrmex humilis (Argentine ant). Lachnosterna sp. (Scarabaeidae). Lepidosaphes beckii (purple scale).	Musa sp. (banana) (5). Musa sp. (banana). Musa sp. (banana) (2). Musa sp. (banana). do. Musa sp. (banana)(14). Musa sp. (banana). do. do. do. do. Citrus aurantifolia (lime).	Do.
Palaeococcus sp. (scale insect) Parlatoria pergandii (chaff scale) Do. Pelidnota sp. (Scarabaeidae) Pseudaonidia articulatus (rufous scale) Do Pseudococcus adonidum (long-tailed mealybug).	Citrus aurantifolia (lime). Croton sp. Musa sp. (banana). Croton sp. Musa sp. (banana) (5).	Do. Maryland.* California. Maryland.* California.
Pseudococcus maritimus (mealybug)	. do	Do. Do. Do. Do.

List, by countries, of pests collected and reported from January 1, 1922, to December 31, 1922, inclusive—Continued.

Country of origin and name of pest.	Host.	Collected in—
CEYLON.		
nsects:		
Araecerus sp. (Platystomidae)	. Caesalpinia sp.	District of Columbia
Aspidiotus cyanophylli (scale insect)		Do.
Do	. Lycidice rhodostegia	Do.
Aspidiotus lataniae (scale insect)		Do.
Carpophilus humeralis (Nitidulidae)	. Palm (seed)	Do.
Carpophilus sp. (Nitidulidae)	. Cycas sp	New York.*
Chelisoches morio (earwig)	In soil with plants	District of Columbia
Chrysomphalus dictyospermi (scale insect)	. Garcinia mangostana	Do.
Do		Do.
Coccotrypes sp. (Scolytidae)		Do.
Coccus elongatus (long soft scale)	Cassia grandis.	Do.
Do		Do.
Coccus viridis (coffee scale)	Brunfelsia bicolor	Do.
Gelechia sp. (Gelechiidae)		Do.
Heliothrips haemorrhoidalis (greenhouse	Garcinia mangostana.	Do.
	Garcinia mangostana	ъ.
thrips).	T :1 :41 14	D. 1
Labia curvicauda (earwig)		Do.
Mylabris sp. (Mylabridae)	. Caesalpinia sp.	Do.
Opogona sp. (Tineidae)	In case with plants	Do.
Prenolepis sp. (ant)	. In soil with plants	Do.
Pseudaonidia tesserata (scale insect)		Do.
Pseudococcus citri (citrus mealybug)	Amherstia nobilis	Do.
Do		\mathbf{Do}_{\cdot}
Do	. Cassia grandis	Do.
Do		$\mathbf{D_0}$
Do		Do.
Do		Do.
Saissetia hemisphaerica (hemispherical scale)		Do.
Technomyrmex albipes (ant)	I	Do.
		Do.
Tetramorium sp. (ant)		$\mathbf{D_0}$.
Tortricid	On side of bamboo case.	D_0 .
1 Oruricia	On side of bamboo case	ъ.
CHILE.		
nsects:	T:41	D:
Aleuroparadoxus punctatus (whitefly)	Lithraea caustica (leaves)	District of Columbia.
Aspidiotus hederae (ivy scale)	Persea gratissima (avocado)	New York.*
Chloridea obsoleta (corn earworm)	Zea mays (corn)	Do.*
Chrysomphalus biformis (scale insect)	Orchids	California.
Chrysomphalus dictyospermi (scale insect)	do	Do.
Diagnia boisduvalii (Boisduval's scale)	do	Do.
Phthorimaea operculella (potato tuber moth).	Solanum tuberosum (Irish potato) (3)	New York.*
Do		Pennsylvania.*
iseases:		T31 • 1
Actinomyces scabies	Solanum tuberosum (Irish potato)	Florida.
Fusarium	do	Do.
Ustilago hordei	Hordeum vulgare (barley)	District of Columbia
CHINA.		
sects:		
Anisolabis annulipes (earwig)	In soil with bamboo cane	District of Columbia
Amhid	Caladium (4)	Hawaii.
Araecerus fasciculatus (coffee-bean weevil)	Dried persimmons	California.
Aspidiotus lataniae (scale insect)	Unknown plant.	Do.
Aspidiotus perniciosus (San Jose scale)		District of Columbia
Aulacaspis crawii (scale insect)	Lichee wood.	California.
Aulacaspis pentagona (West Indian peach	Wild peach.	District of Columbia
	Trace powers.	2 miles of columbia
scale).	Castanea sp. (2)	Do.
Balaninus sp. (Curculionidae)	Hordoum vulgaro (harlow)	Do. Do.
Calendra oryzae (rice weevil)	Hordeum vulgare (barley)	Do. Do.
Do	Kaoliang (seed)	
T		
Do		Do. Do.

44209---23-

Country of origin and name of pest.	Host.	Collected in—
china—continued.	-	
Insects—Continued.		
Cathartus advena (foreign grain beetle)	Dried persimmons	
Do	Rubus sp. (seed)	
Cathartus sp. (Cucujidae)	Pinus sp. (pine)	California.
Do	Rubus sp	District of Columbia. Oregon.*
Do	Citrus sinensis (orange)	California.
Chrysomphalus aonidum (Florida red scale)	Citrus sinensis (orange).	Do.
Chrysomphalus aurantii (California red scale).	Citrus grandis (pomeló)	Oregon.*
Coptosoma nepalense (Coptosamatidae)	Wild persimmon	District of Columbia.
Cryptorhynchus sp. (Curculionidae)	Pinus sp. (pine)	California.
Cubaris sp. (isopod)	Ipomoea batatas (sweet potato)	Hawaii.
Do	In soil with plants.	Do.
Do	Castanea sp. (2)	District of Columbia.
Cylas formicarius (sweet-potato weevil)	Ipomoea batatas (sweet potato)	California.
Do.	Ipomoea batatas (sweet potato) (6)	Hawaii.
Dermestes sp. (Dermestidae)	Dried provisions.	Oregon.*
Dinoderus sp. (Bostrichidae)	Dried persimmons	California.
Eulota similaris (Mollusca)	Bambusa sp. (bamboo)	District of Columbia.
Fiorinia sp. (scale insect)	Trapa natans (water chestnut)	Maryland.*
Hemichionaspis aspidistrae (aspidistra scale) Kytorhinus karasini (Mylabridae)	Citrus grandis (pomelo)	Oregon.*
Laemophloeus ferrugineus (Cucujidae)	UnknownAlpinia sp	District of Columbia.
Laemophloeus sp. (Cucuiidae)	Tree seed.	Do. Do.
Lecanium kunoensis (?) (scale insect)	Pyrus baccata (crab apple)	Do. Do.
Lepidosaphes beckii (purple scale)	Citrus grandis (pomelo)	California.
Lepidosaphes gloverii (Glover's scale)	do	Oregon.*
Lepidosaphes sp. (scale insect)	Bambusa sp. (bamboo)	Maryland.*
Do	Citrus grandis (pomelo)	Hawaii.
Monomorium pharaonis (Pharaoh's ant)	"Var. of cane".	California.
Mukaria sp. (Jassidae)	Bambusa sp. (bamboo)	District of Columbia.
Do	Beans. Cowpeas (Chinese).	California. District of Columbia.
Do	Dolichos sinensis (seed).	Do.
Do	Dolichos umbellata (seed) (2)	Do.
Do	Glutinous rice	Do.
Odonaspis penicillata (scale insect)	Phyllostachys pubescens	Do.
Omphisa anastomosalis (sweet-potato stem	Ipomoea batatas (sweeet potato)	California.
borer).	0	Division 11
Oryzaephilus mercator (Cucujidae) Parlatoria pergandii (chaff scale)	Ornamental vines	District of Columbia.
Do	Citrus grandis (pomelo)do	Hawaii. California.
$\widetilde{\mathrm{D}}_{\mathrm{0}}$	Citrus limonia (lemon).	Do.
Do	Citrus sinensis (orange) (2)	Do.
Parlatoria pyri (scale insect)	Pyrus baccata (crab apple)	District of Columbia.
Parlatoria zizyphus (scale insect)	Citrus grandis (pomelo)	California.
Do	do	Oregon.*
Parlatoria sp. (scale insect)	Alpinia ap (2)	
Polyrhachis rastellata (ant).	Alpinia sp. (?). ´ Legume seed	D ₀ .
Prenolepis longicornis (crazy ant)	Caladium.	
Prenolepis sp. (ant)	do	Do.
Pseudococcus citri (citrus mealybug)	Ipomoea batatas (sweet potato)	Do.
Pseudococcus sp. (mealybug)	Musa sp. (banana)	Pennsylvania.*
Pyralid	Diospyros sp	District of Columbia.
Science on (Mysostembilides)	Chinese tuber	New York.*
Sciara sp. (Mycetophilidae) Tineid.	Trapa natans (water chestnut)	Maryland.* District of Columbia.
Diseases:	doesy prum sp. (corwn seed)	District of Columbia.
Cladosporium citri	Citrus sinensis (orange)	California.*
(Mosaic)	Bambusa sp. (bamboo)	District of Columbia.
Do	Saccharum officinarum (sugar-cane)	Do.
	Citura aimanaia (anamaa)	Washington.*
Phoma citricarpa	Citrus sinensis (orange)	
Phoma citricarpa Uredo spXylaria.	Bambusa sp. (bamboo)	District of Columbia

Country of origin and name of pest.	Host.	Collected in—
COLOMBIA.		
Insects:	Muse on (honone)	Dommerslavania #
Aspidiotus destructor (scale insect)	Musa sp. (banana) In case of fiber plants. Tamarindus sp.	Pennsylvania.* District of Columbia. New York.*
Camponotus maculatus (ant)	In crate of fiber plants	District of Columbia.
Cardiastethus sp. (Anthocoridae)	Musa sp. (banana)	Pennsylvania.*
Diaspis boisduvalii (Boisduval's scale)	Fiber plants.	District of Columbia.
Diaspis sp. (scale insect).	Orchids	Do.
Echinopsalis guttatus (éarwig). Hymenorus sp. (Alleculidae)		Do. Do.
Macrotrachelia opacipennis (Anthocoridae) Nasutitermes sp. (termite)	Musa sp. (banana). Fiber plants.	Pennsylvania.* District of Columbia.
Odonotomachus haematodes (ant)	In crate of fiber plants.	D ₀ .
Oryzaephilus surinamensis (sawtoothed grain beetle).	Musa sp. (banana)	Pennsylvania.*
Pheidole sp. (ant)	In crate of fiber plants	District of Columbia.
D ₀	Musa sp. (banana)	Pennsylvania.*
Plodia interpunctella (Indian meal moth)	Tamarindus sp	New York.*
Ponera trigona (ant)	In crate of fiber plants	District of Columbia.
Prenolepis longicornis (crazy ant)	Musa sp. (banana) (2)	Pennsylvania.*
Pyralid	Fiber plants	District of Columbia.
Sciara sp. (Mycetophilidae)	Musa sp. (banana)	Pennsylvania.*
Silvanus sp. (Cucujidae)	In case of fiber plants	District of Columbia.
Spenophorus sp. (Cuculionidae) Stenomid	Fiber plants. Orchid.	Do. Do.
Tarantula (spider)	Musa sp. (banana)	Pennsylvania.*
Tribolium ferrugineum (rust-red flour beetle)	Fiber plants	District of Columbia.
COOK ISLANDS.		
Insects:	•	
Lepidosaphes beckii (purple scale) Rhizoglyphus sp. (mite)	Citrus sinensis (orange)	California. District of Columbia.
COSTA RICA.		
Insects:	0 1:1	D: 4: 4 (C 1 1:-
Aleurotrachelus sp. (whitefly)	Orchid	District of Columbia.
Aulacaspis flacourtiae (scale insect)	do de	Do. Do.
Carpophilus hemipterus (Nitidulidae)	Pejibayes fruitdoPejibayes fruit (2)	Do.
Cecidomyid	Pejibayes fruit.	Do.
Curculionid	Palm (seeds)	$\overline{\mathbf{Do}}$.
Do	Pejibayes fruit	$\mathbf{D_0}$.
Metamasius sericeus (sugar-cane borer)	do	Do.
Pegomyia sp. (Anthomyidae)	Theobroma cacao (cocoa)	D_0 .
Pseudococcus bromeliae (pineapple mealy- bug).	Ananas sativus (pineapple)	Massachusetts.*
Silvanus sp. (Cucujidae)	Palm (seeds)	District of Columbia.
Thyrecoris sp. (Cydnidae)	Paspalum notatum	D_0 .
Disease: Claviceps paspali	do	Do.
CUBA.		
Insects: Aleurocanthus woglumi (citrus black fly)	Citrus sp.	Florida.
Do	Coffea sp. (coffee)	Do.
Do	Jasminum sp. (jasmine)	Do.
Do	Persea gratissima (avocado)	Do.
Do	Stephanotis sp.	Do.
Aleurodicus cardini (Cardin's whitefly)	Psidium guajava (guava)	Do.
Aleurothrixus howardi (woolly whiteffy)	Citrus sp. (5)	Do.
Anastrepha fraterculus (West Indian fruit fly).	Cuban plum	Do.
DoAphis gossypii (melon aphid)	Mangifera indica (mango) (3)	Do. Do.
Aphis sp. (aphid)	Bouquet of flowers	Pennsylvania.*
Do	Psidium guajava (guava)	Florida.

Country of origin and name of pest.	Host.	Collected in—
CUBA—continued.		
ects—Continued.		
Aspidiotus cocotiphagus (scale insect)	Annona squamosa (sugar apple)	Florida.
Do	Cocos nucifera (coconut) (30)	Do.
Do	Cocos nucifera (coconut) (2)	Pennsylvania.*
Do	Eucalyptus	Florida.
Do	Mangifera indica (mango)	New York.*
Do	Musa sp. (banana)	Do.*
Aspidiotus destructor (scale insect)	Annona cherimola (chirimoya)	Florida.
Do	Annona squamosa (sugar apple)	Do.
D ₀	Cocos nucifera (coconut) (10)	Do.
Do	Cocos nucifera (coconut),	Pennsylvani
Do	Musa sp. (banana) (5)	Florida.
Do	Musa sp. (banana) (2)	New York.*
Do	Persea gratissima (avocado)	Florida.
Do	Psidium guajava (guava) (2)	Do.
Do	Unknown	Do.
Aspidiotus lataniae (scale insect).	Caladium	D_0 .
Do	Carojo palm	Do.
Do	Cycas sp. (sago palm)	Do.
Do	Ficus sp. (fig)	Do.
Do	Palm	Do.
Do	Pandanus sp.	Do.
Do	Poinciana regia (royal poinciana)	Do.
Do	Psidium guajava (guava) (2)	Do.
Do	Seed pod	Do.
Do	Unknown (2)	Do.
Aspidiotus subsimilis anonae (scale insect)	Annona cherimola (chirimoya)	Do.
Do	Annona muricata (sour sop) (2)	Do.
Do	Annona squamosa (sugar apple)	Do.
Do	Poinciana regia (royal poinciana)	Do.
Do	Unknown	Do.
Aspidiotus sp. (scale insect)	Cocos nucifera (coconut).	California.
Do	Unknown	Florida.
Asterolecanium miliaris (scale insect)	Bambusa sp. (bamboo)	Do.
Asterolecanium pustulans (pustule scale)	Unknown (2)	Do.
Bephrata cubensis (Chalcididae)	Annona cherimola (chirimoya)	Do.
Do	Annona muricata (sour sop)	Do
Calendra oryzae (rice weevil)	Dioscorea sp. (yam) (2)	District of Columb
Do	Mangifera indica (mango)	Florida.
Do	Zea mays (corn)	District of Columb
Carpophilus dimidiatus (corn sap-beetle)		Do.
Carpophilus sp. (Nitidulidae)	dodo	Florida.
Cathartus cassiae (Cucujidae)	do	District of Columb
Ceroplastes sp. (wax scale)	Cirtus grandis (grapefruit)	Florida.
Cheyletus sp. (mite)	Unknown	Do.
Chionaspis citri (orange Chionaspis)	Citrus sinensis (orange) (2)	
	Citrus sp	
Do Chloridea obsoleta (corn earworm)		
		Do. Do.
Chrysomphalus aonidum (Florida red scale).		Do.
Do Do	Citrus sp. (2)	Do.
Do	Mangifera indica (mango)	New York.*
Do		Florida.
Do		Do.
Do		
Chrysomphalus dictyospermi (scale insect)		
Do		
Do		
Coccus hesperidum (soft brown scale)		
Do		
Do Do		
170		
	Unlenown	
Coccus viridis (coffee scale)	Unknown. Croton sp.	

Country of origin and name of pest.	Host.	Collected in—
cuba—continued.	,	
ects—Continued.	:	
Cylas formicarius (sweet-potato weevil)	. Ipomoea batatas (sweet potato) (4)	
Do	. Ipomoea batatas (sweet potato)	
Dialeurodes citrifolia (cloudy-winged whitefly	Citrus aurantifolia (lime)	Florida.
<u>D</u> o		Do.
Do	Citrus sp. (2)	Do. New York.*
Diaphania nitidalis (Pyralidae)		Florida.
Diaspis boisduvalii (Boisduval's scale)		Do.
Do		Do.
Diaspis bromeliae (scale insect)		Do.
Do		New York.*
Diatraea sp. (Pyralidae)	Saccharum officinarum (sugar-cane) (18)	Florida.
Earwig		Do.
$\mathbf{D_0^o}$	Saccharum officinarum (sugar-cane)	Do.
Franklinothrips vespiformis (thrips)	Cocos nucifera (coconut)	Do.
Franklinothrips sp. (thrips)	do	Do.
Haplothrips merrilli (thrips)	Cocos nucifera (coconut) (5)	Do.
Haplothrips sp. (thrips)	Cocos nucifera (coconut) (3)	Do.
Heliothrips hemorrhoidalis (greenhouse thrips)	Citrus sp	Do.
D_{0}	Croton sp	Do.
Heliothrips rubrocinctus (red-banded thrips).	Psidium guajava (guava)	Do.
Hemichionaspis aspidistrae (aspidistra scale).		Do.
Do	Pandanus sp.	Do.
Hemichionaspis minor (scale insect)	Annona muricata (sour sop)	Do. Do.
Do	Cocos nucifera (coconut) (6)	Do.
Do	Gossypium sp. (cotton seed)	Do.
$\mathbf{D_0}$	Hibiscus sp.	Do.
Do	Palm	Do.
D ₀	Unknown	Do.
Hemichionaspis sp. (scale insect)	Poinciana regia (royal poinciana)	Do.
Howardia biclavis (mining scale)	Achradelpha mammosa	Maryland.*
Do	Citrus aurantifolia (lime)	Florida.
D ₀	Jasmine (2)	New York.*
Do		Florida.
D ₀		Do.
Hypothenemus sp. (Scolytidae)	Musa sp. (banana)	New York.*
Ischnaspis longirostris (thread scale)	Palm	Florida.
Lasiochilus sp. (Anthocoridae)	Bouquet of flowers.	Pennsylvania.*
Lepidosaphes beckii (purple scale) Do	Citrus aurantifolia (lime)	Florida. Do.
Do	Citrus grandis (grapefruit)	Do. Do.
Do		Do. Do.
Do	Citrus sinensis (orange) (4)	Do.
$\mathbf{D_0}$	Citrus sinensis (orange)	Pennsylvania.*
Do		Florida.
Lepidosaphes hawaiiensis (scale insect)	Annona muricata (sour sop)	Do.
Lepidosaphes sp. (scale insect)	Cassava	Do.
Mylabris sp. (Mylabridae)	Dolichos lablab (seed)	District of Columbi
Noctuid	! Musa sp. (banana)	New York.*
Parlatoria pergandii (chaff scale)	Citrus nobilis (tangerine)	Florida.
Do	Citrus sp	Do.
Do	Croton sp	Do. Pennsylvania.*
Prolabia unidentata (earwig)	Acalypha	Florida.
Pseudaonidia articulatus (rufous scale) Do	Annona squamosa (sugar apple)	Do.
Do	Caladium (?)	Do.
D ₀	Citrus nobilis (tangerine).	Do.
D ₀	Citrus sinensis (orange)	Do.
Do	Cocos nucifera (coconut)	$\mathbf{D_0}$.
Do	Croton sp	Do.
* Do	Mangifera indica (mango)	New York.*
Do	Palm (2)	Florida.

Country of origin and name of pest.	Host.	Collected in—
CUBA—continued.	3.1	
nsects—Continued.		
Pseudaonidia articulatus (rufous scale)	Unknown	Florida.
Pseudischnaspis alienus (scale insect)	Annona cherimola (chirimoya)	\mathbf{Do} .
$\mathbf{D_0}$	Annona squamosa (sugar apple)	Do.
Do	Rosa sp. (rose)	$\mathbf{D_0}$.
D_0	Unknown	Do.
Pseudischnaspis bowreyi (scale insect)	Annona cherimola (chirimoya)	New York.*
Do	Mangifera indica (mango)	Do.*
Do	Jasmine	Do.*
Pseudococcus adonidum (long-tailed mealy- bug).	Caladium	Florida.
Do	Canna	Do.
Do	Croton sp. (2)	Do.
Do	Pandanus sp	Do.
Do	Unknown (2)	Do.
Pseudococcus bromeliae (pineapple mealybug)	Ananas sativus (pineapple)	$\mathbf{p}_{\mathbf{o}}$.
Pseudococcus calceolariae (mealybug)	Saccharum officinarum (sugar-cane)	Do.
Pseudococcus citri (citrus mealybug)	Dioscorea sp. (yam)	District of Columbia
Do	Wandering Jew	Florida.
Pseudococcus nipae (palm mealybug)	Cocos nucifera (coconut)	Do.
Do	Palm	. Do. Do.
Do	Psidium guajava (guava)	
Pseudococcus sp. (mealybug)	Ananas sativus (pineapple)	California. Florida.
Do	Annona squamosa (sugar apple)	Do.
Do	Cocos nucifera (coconut)	Do.
Do	Gossypium sp. (cotton seed)	Do.
Do	Mangifera indica (mango)	Do.
Do	Musa sp. (banana)	Do.
Do		New York.*
Do	Psidium guajava (guava)	Florida.
Do	Taro plant	New York.*
Do	Unknown (3)	Florida.
Pyralid	Paspalum notatum	District of Columbia
Pyrophorus sp. (Elateridae)	Unknown	Florida.
Rhizoglyphus sp. (mite)	Cresentia sp	District of Columbia
Saissetia hemisphaerica (hemispherical scale).	Annona muricata (sour sop)	Florida.
Do	Stephanotis sp	Do.
Do	Unknown	Do.
Saissetia oleae (black scale)	do	Do
Sciara sp. (Mycetophilidae)	Solanum tuberosum (Irish potato)	Pennsylvania.*
Scolytid	Almond	Florida.
Silvanus gemellatus (Cucujidae)	Zea mays (corn)	Do. District of Columbi
Sitotroga cerealella (Angoumois grain moth).	do	Florida.
Symphothrips punctatus (thrips)	Cocos nucifera (coconut)	Do.
Targionia sacchari (scale insect)		Do.
Do	Saccharum officinarum (sugar-cane)	Do.
Thrips	Croton sp.	Do.
Do		Do.
Tineid	Saccharum officinarum (sugar-cane)	
Trialeurodes floridensis (Florida white fly)	Persea gratissima (avocado)	Florida.
(Black melanose)	Citrus sinensis (orange)	Do.
Cladosporium citri		Do.
Colletotrichum	Cocos nucifera (coconut)	Do.
Pestalozzia	do	Do.
CZECHOSLOVAKIA.		
nsects:	Malus sulvestiis (anala) (tasa) (saisaa)	District of Calamilia
Anuraphis sp. (aphid)	manus syrvestris (appie) (tree) (scions)	Do Columbia
Aspidiotus ostreaeiormis (scale insect)	do	Do.
Dryodia praeuosa (mite)	. uv	Do.

Country of origin and name of pest.	Host.	Collected in—
czechoslovakia—continued.		
Continued		
nsects—Continued. Lecanium coryli (scale insect)	Prunus cerasus (cherry)	District of Columbia
		Do.
Do		=
Lepidosaphes ulmi (oyster-shell scale)	Malus sylvestris (apple) (tree)do.	Do. Do.
Magdalis barbicornis (Curculionidae)	Drawing on	Do.
Do	Pyrus sp.	Do. Do.
Do	Prunus sp	Do.
Olethreutid		Do.
Do	Prunus sp. (branches)	Do.
Do		Do. Do.
Paratetranychus pilosus (European red mite).	Malus sylvestris (apple) (tree)	Do.
Phenacoccus sp. (scale insect)	do	Do.
Do	Tilia dasystila.	Do. Do.
Tortricld	Malus sp.	Do.
1 Ortheid	Manus sp	ъо.
DENMARK.		'
nsects:		
Hemichionaspis aspidistrae (aspidistra scale)	Potted plant	
Mylabris pisorum (pea weevil)	Pisum sativum (pea)	District of Columbia
Olethreutid	Pinus sp. (pine) (cones)	New York.*
Pyralid	do	Do.*
Do	In soil	Do.*
e de la companya de		
DOMINICAN REPUBLIC.		
Anisolabis annulipes (earwig)	Solanum tuberosum (Irish potato)	Pennsylvania.*
Chloridea obsoleta (corn earworm)	Zea mays (corn)	New York.*
Gelechiid		District of Columbia
Howardia biclavis (mining scale)	Jasmine	New York.*
Monomorium destructor (ant)	Carainia managatana	District of Columbia
		New York.*
Platypus sp. (Platypodidae) Prenolepis longicornis (crazy ant)	Bark of mahogany logs	Do.*
Pseudococcus adonidum (long-tailed mealy-	Cassava Garcinia mangostana	District of Columbia
bug).	Garcinia mangostana	District of Columnia
Proudesease homelies (nineapple meely	do	Do.
Pseudococcus bromeliae (pineapple mealy-	do	100.
bug).	da	D-
Pseudococcus citri (citrus mealybug)	Calamum tuh magum (Twish matata)	Do.
Rhizoglyphus sp. (mite)	Solanum tuberosum (Irish potato)	Pennsylvania.*
Saissetia hemisphaerica (hemispherical scale).	Annona muricata (sour sop)	New York.*
Do		District of Columbia
Sciara sp. (Mycetophilidae)	Solanum tuberosum (Irish potato)	Pennsylvania.*
DUTCH GUIANA.		
nsects:	G'.	Districted 1
Aspidiotus cyanophylli (scale insect)	Citrus sp. (Surinam King orange)	District of Columbia
Chrysomphalus aonidum (Florida red scale)	Citrus grandis (grapefruit)	Do.
Lepidosaphes beckii (purple scale)	Citrus grandis (grapefruit) (2)	Do.
Do	Citrus sp. (Baboon lemon)	Do.
Do	Citrus sp. (Borneo lemon)	Do.
Do		Do.
Do	Citrus sp. (Lamb's Summer orange)	Do.
Do		Do.
Do		Do.
Parlatoria sp. (scale insect)	Citrus grandis (grapetruit)	Do. Do.
		20.
EGYPT.		
Attagenus piceus (Dermestidae)	Gossypium sp. (cotton seed)	District of Columbia
Cathartus advena (foreign grain beetle)	do	Louisiana.*
Lasioderma serricorne (cigarette beetle)	do	Do.*
Mylabris sp. (Mylabridae)	Acacia farnesiana (seed)	District of Columbia
	Gossypium sp. (cotton seed)	Louisiana.*

Country of origin and name of pest.	Host.	Collected in—
EGYPT—continued.		
sects—Continued.		
Pectinophora gossypiella (pink bollworm)	Gossypium sp. (cotton seed) (3)	District of Columbia
Do	Gossypium sp. (cotton seed)	Louisiana.*
Phoenicococcus marlatti (scale insect)	Date palm offshoots (3)	California.
Phthorimaea operculella (potato tuber moth).	Solanum tuberosum (Irish potato)	Pennsylvania.*
Pseudococcus citri (citrus mealybug)	Citrus sp.	District of Columbia
Rhizoglyphus hyacinthi (bulb mite)	Solanum tuberosum (Irish potato)	Pennsylvania.*
Tribolium ferrugineum (rust-red flour bettle).	Gossypium sp. (cotton seed)	Louisiana.*
Do	Nisilla	District of Columbia
ENGLAND.		
Aegeria tipuliformis (Aegeriidae)	Currant plant	District of Columbia
Agriotes sp. (Elateridae)	In sand used in packing dahlia roots	New York.*
Anaphothrips (thrips)	Īris	District of Columbia
Anthomyid	In soil about roots and bulbs	Pennsylvania.*
Anuraphis tulipae (aphid)	Iris (11)	District of Columbia
Arion hortensis (Mollusca)	In soil, sphagnum, and shamrock	Pennsylvania.*
Aspidiotus britannicus (scale insect)	Bay leaves	New York.*
Aspidiotus camelliae (scale insect)	Banksia narcescens	District of Columbia
Aspidiotus hederae (ivy scale)	Orchid	Do.
Asterolecanium variolosum (scale insect)	Oak trees	Do.
Bibio sp. (Bibionidae)	Montbretia bulbs	New York.*
Do	In soil about Houttuynia cordata	District of Columbia
Brachygeophilus truncorum (myriopod)	Geranium (potted)	Pennsylvania.* Do.*
Do Cartodere ruficollis (Lathridiidae)	Rosaceous plant	Do.*
Cerataphis lataniae (palm aphid)	Orchids	California.
Chironomid	Montbretia bulbs.	New York.*
Do	In soil	Pennsylvania.*
Coccus hesperidum (soft brown scale)	Aralia sieboldii.	New York.*
Do	Bay (2)	Do.*
Do	Ivy.	Do.*
Do	Orchid	District of Columbia
Do	do	New York.*
Coccus sp. (scale insect)	Cypripedium sp	District of Columbia
Curculionid	In soil	_ Do.
Do	In can of sphagnum, soil, and shamrock	Pennsylvania.*
Damaeus sp. (mite) Diaspis boisduvalii (Boisduval's scale)	do	Do.
Diaspis boisduvain (Boisduvai's scale)	Cattleya albanensis	District of Columbia
Do	Orchids	Do. California.
Do	Orchids (15)	District of Columbi
Diaspis bromeliae (scale insect)	Orchids (2)	Do.
Diaspis cattleyae (scale insect)	Orchids.	Do.
Diaspis sp. (scale insect)	do	Do.
Dysdercus sp. (Pyrrhocoridae)	Gossypium sp. (cotton seed)	
Emphytus cinctus (sawfly)	Manetti rose stocks (2)	Connecticut.
Do	Manetti rose stocks (9)	Illinois.
<u>D</u> o	Manetti rose stocks (11)	
$\mathbf{\tilde{p}_0}$	Manetti rose stocks (2)	Massachusetts.
Do	Manetto rose stocks (4)	
Do	Manetti rose stocks (2)	Wisconsin.
	In soil about current plant	Pennsylvania.* District of Columbi
Do Eupodid (mite)	UnknownRosa cerasocarpa	District of Columbi
Gastropacha quercifolia (lappet moth)	Unknown.	Pennsylvania.*
Harmolita sp. (Eurytomidae)		District of Columbi
Histiostoma sp. (mite)	Iris (rhizomes)	Do
Do	Pyrethrum plants.	Do.
Illinoia sp. (aphid)	Pittosporum veridiflorum	New York.*
Ischnodes sp. (Elateridae)	In soil about roots of Scotch heather	Pennsylvania.*
Lathridiid	In soil about roots and bulbs	Do.*
Lecanium sp. (scale insect)	Ribes sp.	District of Columbi
Do	Veronica cupressoides	Do.

Country of origin and name of pest.	Host.	Collected in—
ENGLAND—continued.		
		, * 2.4.
Insects—Continued. Lepidosaphes beckii (purple scale)	Citrus grandis (grapefruit)	Pennsylvania.*
Lepidosaphes gloverii (Glover's scale)	Citrus sinensis (graperiutt)	Do.*
Lepidosaphes ulmi (oyster-shell scale)	Escallonia philippiana	District of Columbia
Do		Florida.
Do	Raspberry, Perfection	District of Columbia
Do	Red grape currant	Do.
Limonius sp. (Elateridae)	In soil about roots of Scotch heather	Pennsylvania.*
Liosoma deflexum (Curculionidae)	In soil	Do.*
Macoma balthica (Mollusca)	In soil around potted shamrock	Do.*
Macrosiphoniella sanborni (aphid)	Chrysanthemum	District of Columbia
Micromyzus tulipaella (aphid)		Do. Do.
Do	Veronica edinensis.	
Newsteadia floccosa (scale insect)	In soil around unknown plant	Pennsylvania.*
Olethreutid	Rosa sp. (rose)	Do.*
Ophyiulus pilosus (myriopod)	In can of sphagnum, soil, and shamrock	Do.*
Parlatoria pergandii (chaff scale)	Citrus sinensis (orange)	Do.*
Pentalonina (aphid nymph)	In soil about potted ferns	Do.*
Philosamia sp. (Saturniidae)	Unknown	New York.*
Phytonomus nigrirostris (Curculionidae) Polydesmus sp. (myriopod)	do	District of Columbia
Do	Geranium, potted	Pennsylvania.* New York.*
Prenolepsis longicornis (crazy ant)	Orchids.	District of Columbia.
Pseudococcus nipae (palm mealybug)	Palm	New York.*
Ptilinus pectinicornis (Anobiidae)	Poplar	District of Columbia.
Pulvinaria floccifera (scale insect)	Orchids	Do.
Pyralid	In moss	Do.
Rhizoglyphus hyacinthi (bulb mite)	Iris "Opera"	Do.
Do	Narcissus bulbs	New_York.*
Rhizoglyphus phylloxerae (mite)	Solanum tuberosum (Irish potato)	Do.*
Rhizopertha dominica (lesser grain borer)	Digitalis sp. (foxglove)	Pennsylvania.*
Saissetia hemisphaerica (hemispherical scale Schottella sp. (Thysanura)	Castor leaves	New York.* Pennsylvania.* \
Tetranychus telarius (two-spotted mite)	Currant plant.	District of Columbia.
Vallonia pulchella (Mollusca)	In can of sphagnum, soil, and shamrock	Pennsylvania.*
Vertigo antivertigo (Mollusca)	do	Do.*
Vitrea cellaria (Mollusca)	do	Do.*
Zonitoides nitidus (Mollusca)	In soil about potted ferns	Do.*
Diseases:		
Actinomyces scabies	Solanum tuberosum (Irish potato) (3)	Florida.
Bacterium tumefaciens		Connecticut. Illinois.
Do	Rosa (Manetti rose stock)	Indiana.
Do	Rosa (Manetti rose stock)	Iowa.
Do	do	Massachusetts.
	do	New Jersey.
	do	Pennsylvania.
Do	. Rosa (Manetti rose stock) (2)	Wisconsin.
Botrytis cinerea	. Houttuynia cordata	District of Columbia.
Botrytis parasitica		Do.
Do		Do.
Heterodera radicicola		Pennsylvania.* District of Columbia.
Spongospora subterranea	Solanum tuberosum (Irish notato)	Florida.
Do	dodo	Pennsylvania.*
FEDERATED MALAY STATES.		
nsect: Mylabris sp. (Mylabridae)	Dolichos hosei	District of Columbia
		Dibile of Columbia
fiji islands. Disease:		
ADCASC.		
Melanconium sacchari	Saccharum officinarum (sugar-cane)	California-

Country of origin and name of pest.	Host.	Collected in—
FINLAND.		
nsects:		
Agriotes lineatus (Elateridae)	In soil about potted hyacinth plant	Pennsylvania.*
	do	Do.*
	Hyacinth plant	Do.*
Rhizoglyphus hyacinthi (bulb mite)	In soil about potted hyacinth plant	Do.*
FRANCE.		•
nsects:	TD 14 212	D
Acronycta rumicis (sorrel cutworm)	Fruit seedlings	Pennsylvania.
	Mahaleb cherry stock (2)	Indiana.
Do	Manetti rose stock	Ohio.
Do	do	Wisconsin.
Anuraphis tulipae (aphid)	<u>Iris (5)</u>	District of Columbia
Do	Iris rhizomes (4)	Do.
Aonidia lauri (scale insect)	Bay	New York.*
Aporia crataegi (white tree pierid) (nests)	Apple stock (9)	Iowa.
Do	Apple stock	Maryland.
Do	do	New York.*
Do	Apple stock (8)	Do.*
Do	Apple stock	North Carolina.
Do	Cydonia oblonga (quince stock) (5)	Iowa.
Do	Cydonia oblonga (quince stock)	New York.
Do	do	Pennsylvania.
Do	Fruit stocks.	Indiana.
	Fruit trees	New York.*
Do	Mahaleb cherry stock	Iowa.
Do	do	New York.*
	Myrobalan (plum) stock (4)	Iowa.
Do	Myrobalan (plum) stock (4)	
Do	Myrobalan (plum) stock (5)	New York.
Do	Nursery stock	Do.
Do	Pear stock (3)	Iowa.
Do	Pear stock (2)	New York.
Do	Seedlings	Indiana.
Argyresthia sp. (Tineidae)	Juniperus japonica (juniper)	District of Columbia
Aspidiotus hederae (ivy scale)	Bupleurum fruticosum (hare's-ear)	Do.
Do	Iris foetidissima	Do.
Do	Olea europaea (olive cuttings)	Do.
Aspidiotus sp. (scale insect)	Pistacia lentiscus	Do.
Aulacaspis rosae (rose scale)	Manetti rose stock	Iowa.
Do	do	Massachusetts.
Do	do	Ohio.
Do	Manetti rose stock (2)	Pennsylvania.
Cecidomyid	Narcissus, var. poeticus bulbs	New York.*
Chalcidoid	Colutea arborescens (seeds)	Pennsylvania.*
Chrysomphalus dictyospermi (scale insect)	Citrus sinensis (orange)	Florida.
Diaspis carueli (scale insect)	Juniperus argentea	District of Columbia
Do	Juniperus japonica fruit	Do.
Emphytus cinctus (sawfly)	Flower seedlings	Connecticut.
Do	Manetti rose stock (4)	Do.
Do	Manetti rose stock (2)	Illinois.
Do	do	
Do	Manetti rose stock	Massachusetts.
Do	Manetti rose stock (2)	Pennsylvania.
Eumerus strigatus (lesser bulb fly)	Narcissus bulbs.	New York.*
Euproctis chrysorrhoea (brown-tail moth	Apple stock	Connecticut.
	appro buck	Connecticut.
Do	Pear stock	New York.
	Iris rhizomes	
Forficula auricularia (European earwig)	Peach stock	District of Columbia.
Hygeid nymph	Piete sie lantique	New York.*
Lecanium sp. (scale insect)	Pistacia lentiscus	District of Columbia
Lepidosaphes gloverii (Glover's scale)	Citrus sinensis (orange) (2)	Florida.
Lepidosaphes ulmi (oyster-shell scale)	Mespilus (medlar) cuttings	District of Columbia
<u>D</u> o	Syringa vulgaris (lilac plant)	Do.
	Cumin on an (liles)	Th.
Do Lyctocoris campestris (Anthocoridae)	Syringa sp. (lilac)	Do.

Country of origin and name of pest.	Host.	Collected in—
FRANCE—continued.		
sects—Continued.		
Malacosoma neustria (European lackey moth).	Fruit seedling	
Do		Iowa.
Mantis religiosa (Mantidae)	Mahaleb cherry stock	Indiana.
Merodon equestris (narcissus fly)	Narcissus bulbs var. poeticus (2)	New York.*
Merodon sp. (Syrphidae)	Narcissus bulbs var. poeticus (3)	Do.*
Mylabris sp. (Mylabridae)	Mimosa rubricaulis	District of Columbi North Carolina.
Noctuid Olethreutid		District of Columbi
Do		Tennessee.
Papilio podalirius (Papilionidae)	Mahaleb cherry stock (2).	
Do	Mahaleb cherry stock (4)	Iowa.
Do	Mahaleb cherry stock	New York.*
Papilio sp. (Papilionidae)	dodo	Kansas.
Parlatoria pergandii (chaff scale)	Citrus sinensis (orange)	Florida.
Procellio sp. (isopod)		Kansas.
Pyralid	Juglans sp. (walnut)	New York.*
Do	Juniperus argentea	District of Columbi
Do	Osvris alba	Do.
Do	. Phoenix reclinata fruit	Do.
Pyrausta nubilalis (European corn borer)	Broom corn	Indiana.
Rhizoglyphus hyacinthi (bulb mite)	Grandiflora bulbs (paper white) (3)	Pennsylvania.*
Do	. Hyacinth bulbs (2)	Do.*
Do	Narcissus bulbs (4)	New York.*
Rhizoglyphus sp. (mite)	. Grandiflora bulbs (paper white)	Pennsylvania.*
_ Do	Narcissus bulbs	New York.*
Rhopalosiphum nymphaeae (aphid)	. Acorus calamus	District of Columbi
Do		Do.
Saissetia sp. (scale insect)	. Olea europaea (olive cuttings)	Do.
Seturnia spini (Saturniidae)	Fruit stocks	New York.*
Sciara sp. (Mycetophilidae)	. Narcissus bulbs (2)	Do.*
Tineid larva		Pennsylvania.* District of Columbi
seases:	. Jumperus japonica iruit	District of Columbia
Bacterium tumefaciens	. Malus (apple) stock	Pennsylvania.
Do		Iowa.
Do		
Do		Connecticut.
Do	Rosa (Manetti rose) stock (2)	Indiana.
Do	. Rosa (Manetti rose) stock	Iowa.
D ₀	. dò	New York.*
Do	. Rosa (Manetti rose) stock (2)	Pennsylvania.
Diplodia mori	. Morus alba (mulberry)	Washington.*
Tubercularia sp	do	Do.*
Uromyces caryophyllinus	Dianthus caryophyllus	District of Columbi
Vermicularia liliacearum	Iris (2)	Do.
GERMANY.		
sects:	Azalea	Title and all
Aleyrodes sp. (whitefly)	Palm	Florida. New York.*
Blaniulus guttulatus (myriopod)	In soil about plants	Do.*
Brachyrhinus sulcatus (Curculionidae)	In soil about roots of rose	
Caecilioides acicula (Mollusca)	In soil about plants	
Ceratopogon sp. (Chironomidae)	Lily of the valley pips.	Pennsylvania.*
Chionaspis salicis (scale insect)	Linden twig	New York.*
Chrysomphaius personatus (masked scale)	Nidularium triste	District of Columbi
Chrysomphalus sp. (scale insect)	Aspidistra	New York.*
Coccus hesperidum (soft brown scale)	. Myrtle	Do.*
Diatpis echinocacti opuntiae (scale insect)	Palm	Do.*
Do	. Opuntia sp.	Do.
Diaspis sp. (scale insect)	Nidularium triste	Do.

Country of origin and name of pest.	Host.	Collected in—
GERMANY—continued.		t
Insects—Continued.		
Eriococcus coccineus (scale insect)	Cactus sp.	District of Columbia.
Eucalymnatus tessellatus (tessellated scale)	Unknown	Do.
Hemichionaspis aspidistrae (aspidistra scale)	Aspidistra (2)	New York.*
Idiopterus sp. (aphid)	Hydrangeado	Do.*
Do	Unknown	Pennsylvania.* District of Columbia.
Julus sp. (myriopod)	Lily of the valley pips	Pennsylvania.*
Lecanium corni (scale insect)	Grossularia sp. (gooseberry)	New York.*
Lepidosaphes beckii (purple scale)	Citrus sinensis (orange)	Florida.
Lepidosaphes gloverii (Glover's scale)	do	\mathbf{Do} .
Macrosiphum sp. (aphid)	Chrysanthemum	New York.*
Myrmica ruginodis (ant)	In soil about roots of huckleberry plants	Do.*
Parlatoria pergandii (chaff scale)	Citrus sinensis (orange)	Florida.
Parlatoria pseudaspidiotus (scale insect)	Vanda teres	District of Columbia.
Plusia iota (Noctuidae)	Berberis vulgaris (barberry) Undetermined root, with soil	New York.* Do.*
Do	In soil about plants	Do.*
Pseudococcus citri (citrus mealybug)	Anacampseros Telephiastrum	District of Columbia.
Do	Cactus	Do.
Do	Coleus	New York.*
Pseudococcus maritimus (mealybug)	Begonia	District of Columbia.
Pseudococcus sp. (mealybug)	Camellia	New_York.*
Do Do	Ricinus sp. (castor bean plant)	Do.*
Do	Vanda teres Unknown	District of Columbia.
Pulvinaria sp. (scale insect)		New York.*
Rhizoglyphus hyacinthi (bulb mite)	Hyacinth (potted)	Pennsylvania.*
Do	In soil about plants	New York.*
Rhizoglyphus sp. (mite)	Aloe variegata	District of Columbia.
Saissetia hemisphaerica (hemispherical scale).	Ricinus sp. (castor bean plant)	New York.*
Saissetia oleae (black scale)		District of Columbia.
Sciara sp. (Mycetophilidae)		New York.*
Syrphus sp. (Syrphidae)	Ricinus sp. (castor bean plant) Ornithopus sativus seed	Do.* District of Columbia.
Diseases:	Ornithopus sativus seed	District of Columbia.
Actinomyces scabies	Solanum tuberosum (Irish potato) (3)	Florida.
(Bacterial rot)	Solanum tuberogum (Trich notato)	District of Columbia.
Fusarium sp	do	Do.
ро	do	Florida.
Rhizoctonia solani	do,	District of Columbia.
ODANO GATTALAY		
GRAND CAYMAN. Insect:		
Targionia hartii (scale insect)	Dioscorea sp. (vam)	Florida.
	22000010W bp. (Jum)	T Torraw.
GREECE.		
Insect:	7.11	
Aspidiotus hederae (ivy scale)	Ceratonia siliqua-carob	District of Columbia.
CTIAN		
Insects:		
Araecerus fasciculatus (coffee-bean weevil)	Pandanus seed	District of Columbia.
Carpophilus dimidiatus (corn sap-beetle)	Cycas circinalis	Do.
Cathartus advena (foreign grain beetle)	do	Do.
Cryptorhynchid.	Cycas circina.	California.
Ereunetis sp. (Tineidae)	Cocos nucifera (coconut)	
Lepidosaphes mcgregori (scale insect) Lophocateres pusillus (Ostomidae)	Pendenya good	Do.
Pyralid (Ostomicae)	Cyces circinelis sood	District of Columbia.
Tenebrio molitor (vellow mealworm)	Cycas circinalis seeddo	Do.
Tenepito montor (venow megawonii)		
Tmaliodes pusillus (Curculionidae). Tribolium ferrugineum (rust-red flour beetle).	do	Do.

Country of origin and name of pest.	Host.	Collected in—
GUATEMALA.		-
Insects:	M (1.)1 ()11 (
Arctiid	Musa sp. (banana) leaf rubbish	Pennsylvania.* District of Columbia. Do.
Asterolecanium aureum (scale insect) Camponotus planatus (ant)	do	Do. Pennsylvania.*
Carpophilus dimidiatus (corn sap-beetle) Caulophilus latinasus (broad-nosed grain	Persea gratissima (avocado) seeds Persea gratissima (avocado) seeds (1)	District of Columbia.
weevil). Chrysomphalus sp. (scale insect)	Prunus salicifolia (plum)	Do.
Donacia cineticornis (Chrysomelidae) Lepidosaphes beckii (purple scale)	Water lily bulb (?)	Do. California.
Monomorium pharaonis (Pharaoh's ant) Monomorium sp. (ant)	Orchid	Do. Pennsylvania.*
	dodo	Do.*
Ripersiella sp. (scale insect).	Orchiddo	California. District of Columbia.
Thyreocoris quadrisignatus (Cydnidae) Diseases:	Musa sp. (banana)	Pennsylvania.*
Cerebellum paspali	Paspalum denticulatum	District of Columbia.
Fusarium heterosporum Do.	Paspalum denticulatum	Do. Do.
HAITI.	Lasparum pircarumini	ъ.
Insects:		
Calendra oryzae (rice weevil)	Ipomoea batatas (sweet potato) Logwood	Pennsylvania.* Do.*
Crematogaster brevispinosus (ant)	do	Do.*
Cylas formicarius (sweet-potato weevil)	Ipomoea batatas (sweet potato) (2)	. Do.*
Gryllodes sigillatus (Gryllidae) Labia unidentata (earwig)	do	Do.* Do.*
Neoponera villosa (ant) Noropsis sp. (Noctuidae)	Logwood	Do.*
Oxystylas zebra (Mollusca)	do	Do.* Do.*
Phytonomus nigrirostris (Curculionidae)	do	Do.*
Prenolepis longicornis (crazy ant)	do	Do.*
Pseudococcus adonidum (long-tailed mealy- bug).	Croton sp	New York.*
Pseudomyrma gracilis mexicanus (ant)	Logwood	Pennsylvania.*
HAWAII. Insects:		
Aphis sp. (aphid)	Areca catechu (betel palm) (2)	California.
Araecerus fasciculatus (coffee-bean weevil)	Unknown	Do.
Aspidiotus cyanophylli (scale insect)	Cocos nucifera (coconut) (3)	Do. Do.
Aspidiotus cydoniae (scale insect)	Cocos nucifera (coconut) (4)	Do. Do.
Aspidiotus persearum (scale insect)	Cocos nucifera (coconut) (2)	Do.
Aspidiotus ap. (scale insect)	Areca catechu (betel palm)	Do.
Asterolecanium pustulans (pustule scale)	Mangifera indica (mango)	Do.
Aulacaspis rosae (rose scale)	Rosa sp. (rose)	Do. Do.
Do.,	Lycopersicum esculentum (tomato) (3)	Do. Do.
Calendra oryzae (rice weevil)	Eugenia brasiliensis (seed)	Do.
Carpophilus mutilatus (Nitidulidae)	Barringtonia speciosa (seed)	Do.
Carpophilus sp. (Nitidulidae)	Copra	Pennsylvania.* California.
	Mangifera indica (mango)	Do.
D0		
Do Do	Persea gratissima (avocado)	Do.
Do	Algaroba pods	Do. Do. Do.

List, by countries, of pests collected and reported from January 1, 1922, to December 31, 1922, inclusive—Continued.

Country of origin and name of pest.	Host	Collected in—
HAWAII—continued.		
sects—Continued.		
Chrysomphalus aonidum (Florida red scale)	Barringtonia speciosa	District of Columbia.
Do	Citrus grandis (sweet shaddock)	Do.
<u>D</u> o	Cocos nucifera (coconut) (30)	California.
Do	Dracaena sp. (dracena) (2)	Do.
Chrysomphalus aurantii (California red scale).	Citrus aurantifolia (lime)	Do.
Chrysomphalus bromeliae (scale insect)	Ananas sativus (pineapple) (2) Cocos nucifera (coconut)	Do.
Chrysomphalus dictyospermi (scale insect)	Tabag fruits	Do. District of Columbia.
Do	Areca catechu (betel palm)	California.
Cicada sp. (eggs) (Cicadidae)	Croton an	Do.
Coccus elongatus (long soft scale)	Croton sp	Do.
Do	Croton sp.	Do.
Do	Hibiscus sp. (2)	
Coccus hesperidum (soft brown scale)	Nerium oleander (oleander)	Do.
Coccus mangiferae (scale insect)	Croton sp.	Do.
Do	Daphne	Do.
Do	Hibiscus sp	Do.
Do	Ti-plant	Do.
Coccus viridis (coffee scale)	Dimorphotheca (African daisy)	Do.
Coccus sp. (scale insect)	Croton sp	Do.
Do	Hibiscus sp	Do.
Coniopteryx sp. (Coniopterygidae)	Rhododendron	District of Columbia.
Coniopteryx sp. (Coniopterygidae)	Barringtonia speciosa (seed)	Do.
Diaspis bromeliae (scale insect)	Ananas satīvus (pineapple) (51)	California.
Do	Cocos nucifera (coconut)	Do.
Diocalandra taitensis (Tahiti coconut weevil).	Cocos nucifera (coconut) (2)	Do.
Do	Cocos nucifera (coconut)	Hawaii.
Ereunetis flavistriata (sugar-cane bud moth)	Cocos nucifera (coconut) (6)	California.
Ereunetis sp. (Tineidae)	Cocos nucifera (coconut)	Do.
Helionia rostrata (Mollusca)		Pennsylvania.*
Hemichionaspis aspidistrae (aspidistra scale).		California.
Do Do		Do. Do.
Hemichionaspis minor (scale insect)		Do.
Do	Dracaena sp. (dracena)	Do.
Do	Gum leaves.	Do.
Hemichionaspis sp. (scale insect)		District of Columbia
Howardia biclavis (mining scale)	Hibiscus sp. (5)	California.
Hyposmocoma sp. (Diplosaridae)	Cocos nucifera (coconut) (5)	Do.
Julus sp. (myriopod)	Hibiscus sp	Do.
Lepidosaphes auriculata (scale insect)	Croton sp	Do.
Lepidosaphes beckii (purple scale)	Citrus sinensis (orange) (2)	Do.
Lepidosaphes sp. (scale insect)	Mangifera indica (mango)	District of Columbia
Monomorium pharaonsis (Pharaoh's ant)	Cocos nucifera (coconut)	California.
Mylabris limbatus (Mylabridae)		Do.
Mylabris prosopis (Mylabridae)	Mesquite seed	Do.
Mylabris pruininus (Mylabridae)	Sesbania sesban	District of Columbia
Mylabris sallei (Mylabridae)		California.
Mylabris sp. (Mylabridae) Do	Seeds (for necklace)	Do. Do.
Orthezia insignis (scale insect)	Lantana	
Pachymerus gonagra (Mylabridae)		District of Columbia
Parlatoria proteus (scale insect)	Croton sp	
Parlatoria zizyphi (scale insect)		
Pectinophora gossypiella (pink bollworm)	Gossypium sp. (cotton seed)	Do.
Pheidole megacephala (ant)	Lantana	Do.
Pheidole sp. (ant)	Hibiscus sp.	Do.
Phenacaspis eugeniae (scale insect)	. Cocos nucifera (coconut)	
Do	Nerium oleander (oleander)	
Phenacaspis sp. (scale insect)	. Areca catechu (betel palm)	Do.
Do	Barringtonia speciosa	District of Columbia
Do.:	Cocos nucifera (coconut)	California.
Prenolepis sp. (ant)	. Cocos nucifera (coconut) (3)	
Do	. Croton sp	

Country of origin and name of pest.	Host.	Collected in—
HAWAII—continued.		
Insects—Continued.		A
Pseudaonidia clavigera (scale insect)	Castanea javanica	District of Columbia.
<u>D</u> o	Hibiscus sp. (5)	California.
Do	Hibiscus sp. (3)	District of Columbia
Pseudococcus bromeliae (pineapple mealybug)	Ananas sativus (pineapple) (53)	California.
Pseudococcus citri (citrus mealybug)	Croton sp	Do.
Pseudococcus virgatus (mealybug)	Areca catechu (betel palm) (2)	Do.
Pseudococcus sp. (mealybug)	Citrus grandis (grapefruit)	District of Columbia
Do	Cocos nucifera (coconut)	California. Do.
Rhabdocnemis obscurus (Hawaiian sugar- cane borer).	Saccharum officinarum (sugar-cane) (2)	Do.
Ripersia palmarum (scale insect)	Cocos nucifera (coconut) (14)	Do.
Saissetia nigra (scale insect)	Areca catechu (betel palm) (3)	Do.
Do	Hibiscus sp. (17)	Do.
Do	Musa sp. (banana)	Do.
Sciara sp. (Mycetophilidae)	Barringtonia speciosa (seed)	District of Columbia
Sternochetus mangiferae (mango weevil)	Mangifera indica (mango) (2)	California.
Teleonemia subfasciata (Tingididae)	Lantana	Do.
Tineid Do	Barringtonia speciosa (2)	District of Columbia
Diseases:	Musa sp. (banana)	Do.
Cladosporium citri	Citrus grandis (grapefruit)	Pennsylvania.*
Gloeosporium musarum	Musa sp. (banana)	District of Columbia
Melanconium sacchari	Saccharum officinarum (sugar-cane) (2)	California.
Thielavia paradoxa	Saccharum officinarum (sugar-cane)	Do.
HOLLAND.	•	
Insects:		
Anthocorid	Tulip (bulbs) (2)	Pennsylvania.*
Anuraphis tulipae (aphid)	Iris (bulbs) (5)	District of Columbia
Anthomyid	Hyacinth (bulbs)	Pennsylvania.*
Aspidiotus hederae (ivy scale)	Palm	Do.*
Aulacaspis rosae (rose scale)	Manetti rose stock	Ohio.
Brachyrhinus sulcatus (Otiorhynchidae)	Astilbe	District of Columbia
Cathartus advena (foreign grain beetle) Do	Bulbsdo.	Pennsylvania.* Washington.*
Do	In packing for hyacinth bulbs	District of Columbia
Do	Narcissus (bulbs)	Maryland.*
Do	do.	Pennsylvania.*
Carpophilus sp. (Nitidulidae)	Scilla (bulbs)	District of Columbia
Cecidomyid	Crocus sp. (bulbs) (2)	Pennsylvania.*
Do	Hyacinth (bulbs)	Do.*
Do	Narcissus (bulbs) (5)	Do.*
Corymbites aeneus (Elateridae)	Narcissus (bulbs)	Do.*
Emphytus cinctus (sawfly)	Manetti rose stock (5)	Connecticut.
Do	Manetti rose stockdodo	Illinois.
Do	dodo	
Endrosis sp. (Blastobasidae)	Hyacinth (hulbs)	Pennsylvania.* District of Columbia
Ephestia xanthotricha (Pyralidae)	In packing for crocus bulbs	Pennsylvania.*
Ephestia sp. (Pyralidae)	In packing for bulbs.	Do.*
Eumerus strigatus (lesser bulb fly)	Bulbs	Do.*
Do	Narcissus (bulbs)	District of Columbia
<u>D</u> o	do	Maryland.*
Do	Narcissus (bulbs) (9)	New York.*
Do	Narcissus (bulbs) (13)	Pennsylvania.*
Forficula auricularia (European earwig)	Bulbs	Do.*
D _a	Tulip (bulbs)	Maryland.* District of Columbia
Do		
Gibbium psylloides (Ptinidae)	In packing	
Gibbium psylloides (Ptinidae)	Paeonia sp. (peony)	Do.
Gibbium psylloides (Ptinidae)	Paeonia sp. (peony)	Do. Pennsylvania.*

Country of origin and name of pest.	Host.	Collected in—
HOLLAND—continued.		eter Logic
Insects—Continued.		
Merodon equestris (narcissus fly)	Narcissus (bulbs) (5)	New York.*
Do		Pennsylvania.*
Merodon sp. (Syrphidae) Do	Narcissus (bulbs)do	District of Columbia. Maryland.*
Do	Narcissus (bulbs) (4)	New York.*
Do	Narcissus (bulbs) (7)	Pennsylvania.*
Mycetophilid	Gladiolus (bulbs)	District of Columbia.
Do	Iris (bulbs)	Do.
NoctuidOryzaephilus surinamensis (saw-toothed grain beetle).	Narcissus (bulbs)	New York.* Pennsylvania.*
Do	Hyacinth (bulbs)	Do.*
Do	Narcissus (bulbs)	Do.*
Parlatoria pergandii (chaff scale)	Citrus aurantifolia (lime)	Florida.
Plodia sp. (Pyralidae)	In packing	Pennsylvania.*
Porcellio sp. (isopod)	In bulb case	Do.* Do.*
Prenolepis longicornis (crazy ant)	In case with iris bulbs	District of Columbia.
Pyralid	In packing for bulbs (2)	Pennsylvania.*
Do	Narcissus (bulbs) (2)	Do.*
Pyralis farinalis (Pyralidae)	Bulb	Maryland.*
Rhizoglyphus hyacinthi (bulb mite) Do	Bulbs (3) Camassia.	Pennsylvania.* District of Columbia.
Do	Colchicum autumnale	District of Columbia.
Do	Crocus (bulbs) (6)	Pennsylvania.*
Do	Gladiolus (bulbs)	District of Columbia.
Do	Hyacinth (bulbs) (12)	Pennsylvania.*
Do	Hyacinth (bulbs) (5)	Maryland.*
Do	Iris bulbs (2) Narcissus (bulbs)	District of Columbia.
Do	Narcissus (bulbs) (2)	Maryland.*
Do	Narcissus (bulbs) (18)	New York.*
<u>D</u> o	do	Pennsylvania.*
Do	Scilla (bulbs)	District of Columbia.
Do	Tigridia pavonia (bulbs)	Do. Pennsylvania.*
Rhizoglyphus sp. (mite)	Crocus sp. (bulbs)	Do.*
Do	Hyacinth (bulbs)	Do.*
Do	Iris (bulbs) (2)	District of Columbia.
Do	Narcissus (bulbs)	New York.*
Do Scatopse sp. (Bibionidae)	Tulip (bulbs)	Pennsylvania.*
Do	BulbsGladiolus (bulbs)	Washington.* District of Columbia.
Do	Hyacinth (bulbs) (3)	Pennsylvania.*
Sciara sp. (Mycetophilidae)	Bulbs	Do.*
Do		District of Columbia.
Do		Pennsylvania.*
	do	Maryland.* New York.*
Do	Tulip (bulbs)	Pennsylvania.*
Sitodrepa panicea (drug-store beetle)	Coriander (seed)	New York.*
Sitona flavescens (Curculionidae)	In box with Taxus plants	District of Columbia.
SyrphidTenebrio molitor (yellow mealworm)	Narcissus (bulbs)	New York.*
Tetramorium caespitum (ant)	In box with gladiolus bulbs	District of Columbia. Pennsylvania.*
Tribolium confusum (confused flour beetle)	do	Do.*
Tribolium sp. (Tenebrionidae)	Hyacinth (bulbs)	Maryland.*
Do	do	Pennsylvania.*
Diseases:	G.1	T D. 4
Actinomyces scabies		Do.* Florida.
Bacterium tumefaciens.	Rosa (Manetti) (2).	Connecticut.
Botrytis cinerea.	Papaver orientalis.	District of Columbia
	Rhododenron	Do.

Country of origin and name of pest.	Host.	Collected in—
HOLLAND—continued.	4	
Do	Tulip (bulbs)do	California.* Do.* New York.
Botrytis tulipae	do	Do.
HONDURAS. Insects: Aspidiotus subsimilis anonae (scale insect) Aspidiotus sp. (scale insect) Diatraea sp. (Pyralidae) Metamasius sp. (Curculionidae) Pseudococcus bromeliae (pineapple mealybug).	Saccharum officinarum (sugar-cane) Musa sp. (banana)	Florida. Do. Do. Do. Do.
Saissetia oleae (black scale)	Unknown	Do.
HUNGARY. Insects: Pyrausta nubilalis (European corn borer)	Broom corn (2)	New York.*
Insects: Araeocerus fasciculatus (coffee-bean weevil). Attagenus sp. (Dermestidae)	Lens sp. (lentils)	California. Do. Do.
Do	Sorghum (seed)	District of Columbia. California. Massachusetts.* Pennsylvania.*
Hemichionaspis aspidistrae (aspidistra scale). Melania lirata (Mollusca). Melanoides tuberculata (Mollusca). Mylabris chinensis (Mylabridae). Do. Do. Opeas sp. (Mollusca). Oryzaephilus surinamensis (saw-toothed grain	Unknown. In soil with palmsdo.	Florida. Pennsylvania.* Do.* California. District of Columbia. California. Pennsylvania.* Louisiana.*
beetle). Do. Phthorimaea operculella (potato tuber moth). Pyrausta nubilalis (European corn borer) Targionia hartii (scale insect) Do. Tribolium confusum (confused flour beetle) Do. Tribolium ferrugineum (rust-red flour beetle). Vivipara sp. (Mollusca)	Broom corn Dioscorea alata do Beans Unknown Melon seed	District of Columbia. Pennsylvania.* New York.* District of Columbia. Massachusetts.* California. Louisiana.* District of Columbia. Pennsylvania.*
IRELAND. Insects:		
Chironomid Crytops hortensis (myriopod) • Emphytus cinctus (sawfly) Do Do Eriosoma sp. (aphid) Diseases:	Manetti rose stock (3)	Pennsylvania.* Do.* Indiana. Pennsylvania. Do.* District of Columbia.
Actinomyces scabies Bacterium tumefaciens Do	Solanum tuberosum (Irish potato) Rosa (manetti)dodo	Florida. New York.* Pennsylvania.* Indiana.

Country of origin and name of pest.	Host.	Collected in-
ISLE OF PINES.	•	
nsects:	1	
Aspidiotus subsimilis anonae (scale insect).		Florida.
Chrysomphalus aonidum (Florida red scale).	Garcinia morella	Do.
Hemichionaspis sp. (scale insect)	Bobug tree	Do.
Hypothenemus sp. (Scolytidae)	Moringa oleifera (horse-radish tree)	Do.
Hypothenemus sp. (Scolytidae) Lepidosaphes beckii (purple scale)	Citrus grandis (grapefruit)	Do.
Do	Citrus nobilis (tangerine) (2)	Do.
Do	Citrus sinensis (orange)	Do.
Do		Do.
	Citrus sp. (3)	D0.
Parlatoria pergandii (chaff scale)	Citrus grandis (grapefruit)	Do.
\mathbf{p}_{0}		Do.
_ Do		District of Columbia
Petalium bistriatum (Anobiidae)	Moringa oleifera (horse-radish tree)	Florida.
Pseudococcus adonidum (long-tailed mealy	- Bobug tree	Do.
bug).		
Saissetia oleae (black scale)	Citrus grandis (grapefruit)	Do.
Do		Do.
	Citius sinchisis (Grange)	Во.
ITALY.	•	
nsects:		
Aphanus quadratus (Lygaeidae)	Castanea sp	District of Columbia
Aphis sp. (aphid)	Bouquet of flowers	Pennsylvania.*
Aspidiotus hederae (ivy scale)	Acuba japonica	New York.*
Do		California.
Do	Citrus limonia (lemon)	Texas.*
Do	Citrus limonia (lomon) (2)	
		Pennsylvania.*
Do		California.
<u>D</u> o		New_York.*
Do		Do.*
Do		Do.*
Do	Unknown (2)	Do.*
Aspidiotus sp. (scale insect)		Do.*
Aulacaspis rosae (rose scale)		
Balaninus sp. (Curculionidae)	Castanea sp. (2)	California.
Cerataphis lataniae (palm aphid)	Palm	
Cerataphis ratamae (paim aphid)	rajiii	Pennsylvania.*
Chionaspis euonymi (euonymus scale)		New York.*
Do	Euonymus sp	Pennsylvania.*
Chrysomphalus aurantii (California red scale). Citrus limonia (lemon)	California.
Do	Rosa sp. (rose)	New York.*
Chrysomphalus dictyospermi (scale insect).	Agave sp	Pennsylvania.*
Do	Citrus limonia (lemon) (4)	California.
Do	Citrus sp	Do.
Do		New York.*
Do	Laurus nobilis (bay)	Do.*
	Dalma Dolms (bay)	Do.*
Do	Palm	D0."
Chrysomphalus dictyospermi var. pinnulifer	Euonymus sp. (euonymus)	Pennsylvania.*
(scale insect).		
Do	Rosa sp. (rose)	New York.*
Coccus hesperidum (soft brown scale)	Citrus sinensis (orange)	Florida.
Do	Laurus nobilis (bay) (2)	Pennsylvania.*
Coccus sp. (scale insect)	Tecomaria capensis (cape honevsuckle)	Do.*
Epidiaspis piricola (European pear scale)	Pyrus communis (pear) (twigs)	New York.*
Eriococcus araucariae (scale insect)	Araucaria excelsa (Norfolk Island pine)	Pennsylvania.*
Geometrid (cocoon)	Unknown	New York.*
Helicella striata (Mollusca).	In soil.	Pennsylvania.*
Helicella sp. (Mollusca)		
Urlamria an (Antha	Unknown	Do.*
Hylemyia sp. (Anthomyidae)	Bouquet of flowers	Do.*
Icerya purchasi (cottony cushion scale)		
Do	Rosa sp. (rose)	Do.*
Lathridiid	Malus sylvestris (apple)	Pennsylvania.*
Lepidosaphes beckii (purple scale)	Citrus limonia (lemon) (6)	California.
Do	Citrus limonia (lemon) (2)	Pennsylvania.*
Do	Citrus sp.	
Lonidogophog floug (goals ingest)	Ficus sp. (fig)	Diamida.
Maria bais and Carrent (Maria	Vicia faba (farva bean)	Florida.
	Vicia tana (tarva hoan)	Pennsylvania.*

List, by countries, of pests collected and reported from January 1, 1922, to December 31, 1922, inclusive—Continued.

Country of origin and name of pest.	Host.	Collected in—
ITALY—continued.		
sects—Continued. Mylabris rufimanus var. velutinus (Mylabridae).	Vicia faba (farva bean)	Louisiana.*
Parlatoria calianthina (scale insect) Parlatoria pergandii (chaff scale)		District of Columbia California.
Do	Citrus sp	Do. New York.*
Do Parlatoria ziziphus (scale insect) Pseudococcus citri (citrus mealybug)	Citrus limonia (lemon) (6)	Do.* California. Pennsylvania.*
Pseudococcus sp. (mealybug)	. Chayote Nerium oleander (oleander)	New York.* Do.*
Tortricidisease:	Laurus nobilis (bay)	Pennsylvania.*
Bacterium tumefaciens	Rosa (Manetti)	Iowa.
JAMAICA.		
sects: Alaus oculatus (Elateridae)	Musa sp. (banana)	Maryland.*
Aleurocanthus woglumi (citrus black fly)	. Carica papaya (papaya)	New York.*
Do	Citrus aurantifolia (lime)	Do.*
Do Do		Florida. Maryland.*
Do	Citrus sinensis (orange)	New York.*
Alevrodid		Pennsylvania.*
Anastrepha fraterculus (West Indian fruit fly)	Mangifera indica (mango) (2)	New York.*
Anastrepha sp. (Trypetidae)	Mangifera indica (mango) (6)	Do.*
Do	. Mangifera indica (mango)	Do.*
Do	do	Pennsylvania.*
Do	. Unknown	New York.*
Anisolabis annulipes (earwig)	. Musa sp. (banana)	Maryland.*
Anthomyid	Red peppers	Pennsylvania.*
Aspidiotus hederae (ivy scale)	. Citrus aurantifolia (lime)	Maryland.*
Aspidiotus lataniae (scale insect)	Citrus grandis (grapefruit)	New York.*
Aspidiotus palmae (scale insect)	. Camphor leaves	Do. * Do.*
Aulacaspis pentagona (West Indian peach scale). Do	Carica papaya (papaya) (2)	Do.*
Do		Do.*
Calendra linearis (Curculionidae)	Tamarindus sp. (tamarind)	Do.*
Camponotus hannani subsp. willardi (ant)	Musa sp. (banana)	Maryland.*
Camponotus maculatus (ant)	do do	Pennsylvania.*
Camponotus sp. (ant)	. do	Do.*
Carpophilus sp. (Nitidulidae)	. Miscellaneous fruits	New York.*
Caryoborus tamarindi (Mylabridae)	. Tamarindus sp. (tamarind) (2)	Do.* Do.*
Caryoborus sp. (Mylabridae)	Muse an (henene)	Pennsylvania.*
Cepolis gossi (Mollusca)	do	Do.*
Cepolis nemoraloides (Mollusca)	do	Do.*
Chionaspis citri (orange Chionaspis)	Citrus grandis (grapefruit)	Florida.
Do	Citrus sinensis (orange)	Maryland.*
Chironomid	. Ananas sativus (pineapple)	Pennsylvania.*
Chrysomphalus aonidum (Florida red scale)	. Camphor leaves	New York.*
Do	. Mangifera indica (mango)	Do.*
Do	. Musa sp. (banana)	Florida.
Chrysomphalus aurantii (California red scale)	Mangifera indica (mango)	New York.*
Chrysomphalus bromeliae (scale insect)	Ananas sativus (pineapple)	Pennsylvania.* Do.*
Chrysomphalus dictyospermi (scale insect)	Citrus grandis (grapefruit)	New York.*
Coccotrypes sp. (Scolytidae)	Oreodoxa regia (royal palm)	District of Columbia
Coccus hesperidum (soft brown scale)	Ananas sativus (pineapple)	Pennsylvania.*
Do	Carica papaya (papaya)	New York.*
Do	Cinnamomum zeylanicum (cinnamon tree)	Do.*
Coccus sp. (scale insect)	Ixora sp. (?)	

Country of origin and name of pest.	Host.	Collected in—
JAMAICA—continued.		
sects—Continued.		
Conotrachelus sp. (Curculionidae)	Dioscorea sp. (yam)	
Crematogaster sp. (ant)	Musa sp. (banana) (2)	Do.*
Curculionid	Dioscorea sp. (yam)	Do.*
Dialeurodes citrifolii (cloudy-winged whitefly)	Citrus sp.	Do.*
Diaspis boisduvalli (Boisduval's scale)	Cocos nucifera (coconut) (2)	Do.*
Emporius signatus (Cucujidae)	Musa sp. (banana)	Do.*
Epochra canadensis (current or gooseberry	Mangifera indica (mango)	Do.*
fruit fly).	mangifeta matea (mango)	20.
Forcipomyia cilipes (Chironomidae)	In soil with plant cuttings)	Do.*
Coloobioid	Musa sp. (banana)	Do.*
Gelechioid		District of Columbia
Howardia biciavis (mining scale)	Citrus sp	
Do	do	Pennsylvania.*
Hypothenemus sp. (Scolytidae)	Musa sp. (banana)	Do.*
Ischnaspis longirostris (thread scale)	Coffea robusta	District of Columbia
Do	Livistona chinensis (seed)	Pennsylvania.*
Do	Mangifera indica (mango) (3)	New York.*
Labia curvicauda (earwig)	Musa sp. (banana)	Pennsylvania.*
Lasiochilus fraternus (Anthocoridae)	Ananas sativus (pineapple)	Do.*
Lepidosaphes beckii (purple scale)	Citrus aurantifolia (lime)	Maryland.*
Do	Citrus aurantifolia (lime) (4)	Pennsylvania.*
Do	Citrus grandis (grapefruit)	Florida.
Do		Pennsylvania.*
Do	Citrus nobilis (tangerine) (3)	New York.*
D0	Citrus sinensis (orange)	Maryland.*
Do	Citrus sinensis (orange) (6)	New York.*
Д0	Citrus sinensis (orange) (6)	
Do	Citrus sinensis (orange) (a)	Pennsylvania.*
<u>D</u> o	Citrus sp	District of Columbia
Do	Citrus sp. (4)	Pennsylvania.*
Do	Unknown	Maryland.*
Lepidosaphes sp. (scale insect)	Mangifera indica (mango)	New York.*
Do	Unknown	Pennsylvania.*
Lepysma sp. (Thysanura)	Miscellaneous fruits	New York.*
Monomorium destructor (ant)	Ananas sativus (pineapple) (2)	Pennsylvania.*
Monomorium pharaonis (Pharaoh's ant)	Mangifera indica (mango)	Do.*
Mycetophilid (larvæ)	Ananas sativus (pineapple)	Do.*
Myzus sp. (aphid)	Boquet of flowers.	Do.*
Noctuid	Musa sp. (banana)	Do.*
Olethreutid	Cola acuminata (cola nut)	New York.*
Parlatoria crotonis (scale insect)	Croton sp.	Maryland.*
Tarratoria crotonis (scale insect)	do.	Pennsylvania.*
Do	Manaifana indiaa (manaa) (2)	New York.*
Parlatoria proteus (scale insect)	Mangifera indica (mango) (2)	
Pheidole sp. (ant)	Musa sp. (banana) (2)	Pennsylvania.*
Do	Unknown	Do.*
Phenacoccus sp. (scale insect)	do	Do.*
Pinnaspis buxi (scale insect)	Livistona chinensis (seed)	Do.*
Do	Oreodoxa regia (royal palm)	District of Columbia.
Do	do	Pennsylvania.*
Do	Pritchardia pacifica	District of Columbia.
Pleurodonte sloaneana (Mollusca)	Musa sp. (banana)	Pennsylvania.*
Plodia interpunctella (Indian meal moth)	Tamarindus sp. (tamarind)	New York.*
Prenolepis longicornis (crazy ant)		Pennsylvania.*
Prenolepis sp. (ant)	Ananas sativus (pineapple)	Do.*
Protopulvinaria pyriformis (scale insect)	Cinnamomum zeylanicum (cinnamon	New York.*
Trompurvinaria pyrnorima (acare maeco)	tree).	
Pseudonidia articulatus (rufous scale)	"Ackee"	Do.*
	Annona muricata (sour sop)	Do.*
Do	Citrus pobilis (tangorina)	Do.*
Do	Citrus nobilis (tangerine)	
Do	Citrus sinensis (orange)	Maryland.*
Do	do	New York.*
$\underline{\mathrm{D}}\mathrm{o}$	Citrus sp	District of Columbia.
Do	do	Pennsylvania.*
Do	Coffee robusta	District of Columbia.
$\overline{\mathrm{D}}_{0}$	Livistona chinensis (seed) (2)	Pennsylvania.*
$\widetilde{\mathrm{Do}}$	Mangifera indica (mango) (4)	New York.*

Country of origin and name of pest.	Host.	Collected in—
JAMAICA—continued.		
Insects—Continued.		New York.*
Pseudococcus adonidum(long-tailed mealybug)	Dracaena sp. (dracena)	Do.*
Do	Bouquet of flowers	
Do	Mangifera indica (mango)	New York.*
Pseudococcus bromeliae (pineapple mealybug)	Ananas sativus (pineapple)	Do.*
D_{0}	Ananas sativus (pineapple) (7)	Pennsylvania.*
DoPseudococcus citri (citrus mealybug)	Saccharum officinarum (sugar-cane)	New York.*
	Annona muricata (sour sop)	
Do	Musa sp. (banana)	Do.*
Pseudococcus nipae (palm mealybug)	Ananas sativus (pineapple)	Do.* New York.*
Pseudococcus sp. (mealybug) Do	Citrus grandis (grapefruit)	Pennsylvania.*
Do	Musa sp. (banana)	Do.*
Pyralid		
Rhizoglyphus sp. (mite)	Red peppers	
Do	Dioscorea sp. (yam)	Do.*
Do	Chrysanthemum	
Do	Citrus nobilis (tangerine)	New York.*
Do	Ployscias guilfoylei	Pennsylvania.*
Do	Unknown	Do.*
Solenopsis geminata (ant)	Ananas sativus (pineapple)	Do.*
• Do	Coix lachrymi-jobi (seeds)	Do.*
Strategus titanus (Scarabaeidae)	Musa sp. (banana)	
Subulina octona (Mollusca)	In soil with plants	Pennsylvania.*
Tapinoma melanocephalum (ant)	Musa sp. (banana)	Maryland.*
Targionia sacchari (scale insect)	Saccharum officinarum (sugar-cane)	New York.*
Telephanus sp. (Cucujidae)		Pennsylvania.*
Tenebrio obscurus (dark mealyworm)	Unknown.	Do.*
Tetramorium guineensis (ant)	Ananas sativus (pineapple)	Do.*
Tineid		Maryland.* Pennsylvania.*
Do Tortricid		Do.*
Toxotrypana curvicauda (papaya fruit fly)	Mangifera indica (mango)	New York.*
Veronicella sp. (Mollusca)	Musa sp. (banana)	Pennsylvania.*
Vostox brunneipennis (earwig)		Do.*
Wasmannia auropunctata (ant)	Ananas sativus (pineapple)	
Disease:	(1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	
Sphaeronema fimbriatum	Ipomoea batatas (sweet potato)	Do.*
JAPAN. Insects:		
Adelges sp. (aphid)	Unknown	:Pennsylvania.*
Aspidiotus perniciosus (San Jose scale)		
Aulacaspis pentagona (West Indian peach	Amygdalus persica (peach)	California.
scale).		
Do	Paulownia logs	Hawaii.
Do	Prunus cerasus (cherry)	California.
Do	Prunus pimula	Do.
Do		District of Columbia.
Do	Unknown	Washington.*
Aulacaspis rosae (rose scale)	Rubus sp. (raspberry)	California.
Calendra oryzae (rice weevil)	Solanum tuberosum (Irish potato)	Pennsylvania.*
Camponotus sp. (ant)	Paulownia logs (5)	Hawaii.
Carpophilus hemipterus (Nitidulidae)	botanum tuperosum (1rish potato)	Pennsylvania.* Do.*
Carpophilus sp. (Nitidulidae)	Solanum tuberosum (Irish potato) (2)	
Chionaspis euonymi (euonymus scale)		Washington.*
Chrysomela exanthematica (Chrysomelidae)		District of Columbia.
Chrysomphalus aonidum (Florida red scale)		California.
Chrysomphalus aurantii (California red scale).		Do.
	Buxus sp. (box)	Pennsylvania.*
Chrysomphalus sp. (scale insect)	Duxus sp. (Dox)	
Coccus hesperidum (soft brown scale)	Jatropha sp. (?)	Washington.*
	Jatropha sp. (?) Paulownia logs (2)	Washington.* Hawaii.

Country of origin and name of pest.	Host.	Collected in—
JAPAN—continued.		
sects—Continued.		
Curculionid	Elaeagnus multiflora (seed)	District of Columbia
Dermestid	Paulownia logs	Hawaii.
Dolichoderus sp. (Tenebrionidae)	do	Do.
Elaterid (larvæ)	do	Do.
Eucosma sp. (Olethreutidae)	Pinus densiflora (seed)	Pennsylvania.*
Do	Pinus thunbergii (seed)	Do.*
Glischrochilus sp. (Nitidulidae)	Paulownia logs	Hawaii.
Hemichionaspis aspidistrae (aspidistra scale)	Citrus nobilis (tangerine)	Do.
Do	Citrus sinensis (orange) (5)	California.
Do	Citrus sinensis (orange) (2)	Washington.*
Do	Citrus sp.	Hawaii.
Do Iridomyrmex itoi (ant)	do	Oregon.* Hawaii.
Taging fulicinagus (ant)	Paulownia logs	
Lasius fuliginosus (ant) Laspeyresia molesta (oriental fruit moth)	Parming (moor)	Do. California.
Lepidosaphes beckii (purple scale)	Pyrus (pear) Citrus sinensis (orange)	· Do.
Lepidosaphes conchiformis (scale insect)	Pyrus (pear)	District of Columbia
Lepidosaphes ficus (scale insect)	Pyring serving (sendnear) (2)	Hawaii.
Lepidosaphes gloverii (Glover's scale)	Pyrus serotina (sandpear) (2). Citrus sinensis (orange) (2)	California.
Do	do	Washington.*
Do	Citrus sp	Oregon.*
Lepidosaphes sp. (scale insect)	Pyrus (pear)	California.
Monomorium pharaonis (Pharaoh's ant)	Rubus sp. (raspberry)	Do.
Monomorium sp. (ant)	Paulownia logs (2)	Hawaii.
Monophlebus sp. (scale insect)	Rubus sp. (raspberry)	California.
Mylabris pisorum (pea weevil)	Beans (2)	Hawaii.
Do	Pisum sativum (pea)	California.
Necrobia rufipes (red-legged ham beetle)	Solanum tuberosum (Irish potato)	Pennsylvania.*
Oniscid sp. (isopod)	Paulownia logs	Hawaii.
Oryzaephilus surinámensis (saw-toothed grain beetle).	Solanum tuberosum (Irish potato) (2)	Pennsylvania.*
Parlatoria pergandii (chaff scale)	Citrus deliciosa (Mandarin orange)	Washington.*
<u>D</u> o	Citrus nobilis (tangerine)	Hawaii.
Do	Citrus sinensis (orange) (5)	California.
	Citrus sinensis (orange)	Washington.*
Do	Citrus sp.	California. Hawaii.
Do Parlatoria pergandii theae (scale insect)	Pyrus serotina (sandpear)	District of Columbia
Parlatoria theae viridis (scale insect)	Acer roseum.	Do.
Do	Acer wabihito	Do.
Pheidole megacephala (ant)	Unknown	Hawaii.
Philoscia sp. (isopod)	Paulownia logs	Do.
Plodia interpunctella (Indian meal moth)	Arachis hypogaea (peanut)	California.
Pseudaonidia duplex (scale insect)	Citrus sp	Do.
Pseudaonidia paeoniae (scale insect)	Azalea (3)	District of Columbia
Do	Camellia	California.
Do	Unknown	New York.*
Pseudaonidia trilobitiformis (scale insect)	Citrus deliciosa (Mandarin orange)	Washington.*
Do	Citrus nobilis (tangerine)	Hawaii.
Do	Citrus sinensis (orange) (3)	California.
Do	Citrus spdodo	Do.
Do Pseudaonida sp. (scale insect)	Pyrus serotina (sandpear)	Hawaii. Do.
Pseudococcus comstocki (mealybug)	Pyrus serotina (sandpear) (2)	Do. Do.
Pseudococcus sp. (mealybug)	Citrus sp.	California.
Do	Citrus sp	Hawaii.
Pyralid	Pinus sp. (pine)	Pennsylvania.*
Do	Solanum tuberosum (Irish potato)	Do. *
Reticulitermes speratus (termite)	Paulownia logs	Hawaii.
Rhizoglyphus dominica (lesser grain borer)	Hordeum vulgare (barley) (seed)	District of Columbia
Tenebrioides mauritanica (cadelle)	Paulownia logs (2)	Hawaii.
Termite	Paulownia logs	Do.

Country of origin and name of pest.	Host.	Collected in—
JAPAN—continued.		
Diseases:		
Bacterium tumefaciens	Diospyros	California.*
Cladosporium citri	Citrus sp	Hawaii,
Do	Citrus deliciosa (Mandarin orange)	Washington.
Do	Citrus nobilis (tangerine) (2)	Hawaii.
Do	Citrus nobilis (var.)	Washington.
Colletotrichum omnivorum	Aspidistra lurida	California.*
Melanconium sacchari	Saccharum officinarum (sugar cane)	Do.*
Penicillium (blue mold)	Citrus nobilis (var.)	Washington.
Pseudomonas citri	Citrus sinensis (orange)	Do.
Do	Citrus sp.	California.*
Do	do	Hawaii.
Do	Citrus sinensis (orange)	California.
Phomopsis citri	Citrus nobilis (tangerine)	Hawaii.
2 110 1110 pu-10 02 12 111111111111111111111111111	o-or as noss (tungermo)	11411411
JAVA. Insects:		
Aspidiotus sp. (scale insect)	Belaperona oblongata	Hawaii.
Calendra oryzae (rice weevil)	Castanea sumatra (seed)	District o Columbia
Curculionid	Sterculia macrophylla	Do.
Desmoxytes coniger (myriopod)	In soil with plants	Hawaii.
Gonolabis javana (earwig)	do	Do.
Labia sp. (earwig)	do	Do.
Lampyrid		Do.
Lamyctinus coeculus (myriopod)	do	Do.
Odontomaches sp. (Curculionidae)	In soil	Do.
Orthezia sp. (scale insect)	Belaperona oblongata	Do.
Otostigmus sp. (myriopod)	In soil.	Do.
Do	In soil with plants (2)	Do.
Oxidus gracilis (myriopod)	In soil with plants	Do.
Pseudococcus sp. (mealybug)	Belaperona oblongata	Do.
Do.	Mesua ferrea	Do.
Pyralid	Derris elliptica	District of Columbia
Solenopsis geminata (ant)	In soil	Hawaii.
Tribolium ferrugineum (rust-red flour beetle).	Castanea sumatra (seed).	District of Columbia
Trigoniulus lumbricinus (myriopod) Diseases:	In soil with plants	Hawaii.
Diplodia cacaoicola	Mesua ferrea	District of Columbia
Sphaeropsis mesuae		Do.
LUXEMBOURG.		
Insect:	D	D:
Aulacaspis sp. (scale insect)	Rosa sp. (rose)	District of Columbia
MALTA.		
Insect:	O	District CO 1 and 1
Diaspis echinocacti cacti (scale insect)	Opuntia fiscusindica	District of Columbia
MARTINIQUE. Insects:		
Chrysomphalus aonidum (Florida red scale)	Citrus sinensis (orange)	California.
Lepidosaphes beckii (purple scale)	Citrus grandis (granafruit)	Do.
Do	Citrus sinensis (orange)	$\mathbf{D_0}$.
Do. Lepidosaphes gloverii (Glover's scale)	do	Do.
Parlatoria pergandii (chaff scale)	do	Do.
Pseudaonidia articulatus (rufous scale)	do	Do.
MEXICO:		•
Insects:		
Agromyza sp. (Agromyzidae)	Peppers	California.
Alaus sp. (Élateridae)	Fragaria sp. (strawberry)	District of Columbia
Alphitobius piceus (Tenebrionidae)	Solanum tuberosum (Irish potato)	Maryland.*
Anastrepha ludens (Mexican fruit fly)	Citrus aurantifolia (lime)	California.
Do	Citrus sinensis (orange)	Do.

Country of origin and name of pest.	Host.	Collected in—
MEXICO—continued.		
Insects—Continued.		
Anthonomus sp. (Curculionidae)	Psidium guajava (guava)	California.
Aspidiotus camelliae (scale insect)	Citrus grandis (grapefruit)	Florida.
Aspidiotus cydoniae (scale insect)	Cocos nucifera (coconut)	California.
Aspidiotus lataniae (scale insect)	Psidium guajava (guava)	
Balaninus rectus (Curculionidae)	Quercus sp.	California.
Calendra linearis (Curculionidae)	Quercus sp. Tamarindus sp. (tamarind)	New York.*
Calendra oryzae (rice weevil)	Solanum tuberosum (Irish potato)	Louisiana.*
Camponotus sp. (ant)	Musa sp. (banana) Sebastiana palmeri (seed)	California.
Carpocarpa saltitans (Tortricidae)	Sebastiana palmeri (seed)	Arizona.*
Carpophilus hemipterus (Nitidulidae)	Tamarindus sp. (tamarind)	New York.*
Carpophilus sp. (Nitidulidae)	Ipomoea batatas (sweet potato)	Florida.
Cathartus advena (foreign grain beetle)	Amaryllis formosissima	District of Columbia.
Cathartus cassiae (Cucujidae)	Zea mays (corn)	California.
Cecidomyid	Agave funkiana	District of Columbia.
Chloridea obsoleta (corn earworm)	Lycopersicun esculentum (tomato) (20)	California.
Chrysomphalus aonidum (Florida red scale)	Citrus aurantifolia (lime) (2)	Do.
Do	Cocos nucifera (coconut)	Do.
Chrysomphalus aurantii (California red scale).	Citrus sinensis (orange) (2)	Do.
Chrysomphalus dictyospermi (scale insect)	Citrus sinensis (orange)	Florida.
Cylas formicarius (sweet-potato weevil)	Ipomoea batatas (sweet potato)	Texas.*
D ₀	do	Florida.
Dermestes sp. (Dermestidae)	Solanum tuberosum (Irish potato)	Maryland.*
Diaspis boisduvalii (Boisduval's scale)	Palm (seed)	Florida.
Diaspis echinocacti opuntiae (scale insect)	Cactus	District of Columbia.
Diaspis sp. (scale insect)	Hylocereus sp	Do.
Diatraea sp. (Pyralidae)	Saccharum officinarum (sugar-cane)	Texas.*
Euxesta sororcula (Ortalidae):	Wrappers of green corn	Do.*
Gymnococcus agavium (scale insect)	Agave funkiana	District of Columbia.
Heilipus lauri (avocado weevil)	Persea gratissima (avocado) (2)	Texas.*
Lasioderma serricorne (cigarette beetle)	Nicotiana tabacum (tobacco)	District of Columbia.
Lepidosaphes beckii (purple scale) Do	Citrus aurantifolia (lime)	California. Do.
Do	Citrus sinensis (orange) (8) Citrus sinensis (orange) (3)	Florida.
$\mathbf{D_0}$	Citrus sinensis (orange)	New York.*
Lepidosaphes gloverii (Glover's scale)	Citrus aurantifolia (lime) (2)	California.
Do	Citrus sinensis (orange).	Do.
Monomorium pharaonis (Pharaoh's ant)	Zea mays (corn)	Do.
Mylabris quadrimaculatus (four-spotted bean	Garbanzos.	Do.
weevil).	Call ball 200	D 0.
Do	do	Arizona.*
Opogona sp. (Tineidae).	Fragaria sp. (strawberry).	District of Columbia.
Oryzaephilus surinamensis (saw-toothed grain	Tamarindus sp. (tamarind).	New York.*
beetle).		1.0 2011.
Parlatoria pergandii (chaff scale)	Citrus sinensis (orange)	California.
Plodia interpunctella (Indian meal moth)	Gossypium sp. (cotton seed)	Texas.*
Pseudaonidia articulatus (rufous scale)	Citrus grandis (grapefruit)	Florida.
Do	Citrus sinensis (orange)	New York.*
Pseudococcus spp. (mealybug)	Peppers	California.
Rhizoglyphus hyacinthi (bulb mite) Sciara sp. (Mycetophilidae)	Solanum tuberosum (Irish potato)	Maryland.*
Sciara sp. (Mycetophilidae)	Ferocactus sp	District of Columbia.
Tineid	Fragaria sp. (strawberry)	Do.
Tribolium terrugineum (rust-red flour beetle).	Garbanzos.	California.
Trypetid (larva)	Achras sapota (sapodilla)	New York.*
Trypopremon sp. (Curculionidae)	Solanum tuberosum (Irish potato)	Maryland.*
Do	do	Louisiana.*
Diseases:	Citrus limenia (lemen)	D. *
Cladosporium citri	Citrus limonia (lemon)	Do.*
Colletotrichum agave	Agave funkiana	District of Columbia.
	IDUMUES DESCRIBE (SWEEL DOLEIO)	Florida.
(Gray mold)	Dahlia Citrus sinensis (orange).	Do.

List, by countries, of pests collected and reported from January 1, 1922, to December 31, 1922, inclusive—Continued.

Country of origin and name of pest.	Host.	Collected in—
MOROCCO.		
Insects: Mylabris chinensis (Mylabridae) Mylabris lentils (Mylabridae) Mylabris sp. (Mylabridae)	Lentille de Maurice Lentille indigenesdo	District of Columbia. Do. Do.
NEW ZEALAND.		
Insects: Laspeyresia pomonella (codling moth) Pseudococcus maritimus (mealybug) Pseudococcus sp. (mealybug) Thrips. Trionymus phormii (scale insect)	Malus sylvestris (apple)	California. Hawaii. Do. Do. Do.
NICARAGUA.	,	
Insects: Anastrepha ludens (Mexican fruit fly) Bothrideres setiger (Colydiidae) Calendra oryzae (rice weevil) Diaspis bromeliae (scale insect) Lasioderma serricorne (cigarette beetle) Monomorium minutum var. carborarium (ant).	Achras sapota (sapodilla). Lignum-vitæ logs. Holcus sorghum. Chayota edulis (Chayote). Persea gratissima (avocado). Orchid.	California. , Do. Maryland.* California. Florida. Louisiana.*
NORWAY. Insects:		
Corymbites aneneus (Elateridae) Hyponomentid Nalthinus sp. (Telephoridae) Scutigerella immaculata (lima bean Symphylid).	In soil. Phlox. In soil. In soil with plant.	Pennsylvania.* New York.* Pennsylvania.* Do.*
NOVA SCOTIA. Insects:	·	
Bucculatrix pomifoliella (Lyonetiidae) Escaryus urbicus (myriopod) Hepialus sp. (Hepialidae) Lasius umbratus subsp. subumbratus (ant) Lepidosaphes ulmi (oyster-shell scale) Leptothoras acervorium subsp. canadensis	In soil with plants Tsuga sp. (hemlock) In soil with plants Malus (apple) (scions) In soil	Massachusetts.* Pennsylvania.* Do.* Do.* Massachusetts.* Pennsylvania.*
Ludius sp. (Elateridae)	do	Do.*
ORIENT.		
Plodia interpunctella (Indian meal moth)	Hempseed	California.
PALESTINE.		
Insects: Aspidiotus hederae (ivy scale). Aspidiotus sp. (scale insect). Chrysomphalus sp. (scale insect). Lepidosaphes ulmi (oyster-shell scale). Do. Do. Lepidosaphes sp. (scale insect). Mylabris lentis (Mylabridae). Mylabris sp. (Mylabridae). Do. Do. Parlatoria sp. (scale insect).	Carob budwood Citrus sp. (cedrats) Habati-carob cutting Sandalawi-carob cuttings Thehawi-carob cuttings Carob budwood Lentils (2) Lentils Wild vetch Vicia sativa seed	District of Columbia. California. District of Columbia. Do. Do. Do. Do. Do. Do. Do. Do. Do. Do
	Olivius Bp. (Codiaus)	Callionna.
Insects: Cerataphis lataniae (palm aphid) Chrysomphalus dictyospermi (scale insect) Chrysomphalus sp. (scale insect) Diaspis sp. (scale insect)	Cinnamon leaves	Florida. Do.

Country of origin and name of pest.	Host.	Collected in—
PANAMA—continued.		
Insects—Continued.		
Lepidosaphes beckii (purple scale)	Citrus sinensis (orange)do	California. Florida
Lepidosaphes lasianthi (scale insect) Parlatoria crotonis (scale insect)	. Croton sp	New York.*
Pseudaonidia articulatus (rufous scale) Do	. Citrus sinensis (orange)	Florida. Do.
Diseases:		
Coremium borzianumPhomopsis citri		New York.* California.*
PERU.		
Insects:		D:
Diaspis echinocacti cacti (scale insect) Phthorimaea operculella (potato tuber moth)	. Solanum tuberosum (Irish potato)	District of Columbia California.
Pseudococcus sp. (mealybug) Tortricid	. Lobivia	District of Columbia New York.*
Trypopremnon sp. (Curculionidae)	Solanum tuberosum (Irish potato)	Do.*
PHILIPPINE ISLANDS.		
Insects:	(T.11- 4)	Distanted of Column Life
Anthribid	Coix sp. (Job's tears)	District of Columbia Do.
Chrysomphalus rossi (scale insect)		California.
Calendra oryzae (rice weevil)		District of Columbia
Do	Zea mays (corn)	Hawaii.
Cerithium (Mollusca)	. In soil about Cabba plant	Pennsylvania.*
Coccotrypes sp. (Scolytidae)	. Tree seeds	Hawaii.
Diacamma sp. (ant)	. In case with citrus plants	District of Columbia Hawaii.
Diaphana sp. (Pyralidae) Geotomus pygmaeus (Cydnidae)	. Cocos nucifera (coconut)	Pennsylvania.*
Holoparamecus sp. (Lathrididae)	. In soil about canna plant	Do.*
Laemophloeus pusillus (Cucujidae)	. Mangifera indica (mango) seed	California.
Lamvetinus coeculus (myriopod)	. In soil about canna plant	Pennsylvania.*
Lasioderma serricorne (cigarette beetle)	. Zea mays (corn)	Hawaii.
Lepidosaphes beckii (purple scale)	. Citrus sp	District of Columbia
Lepidosaphes gloverii (Glover's scale)		Do.
Lepidosaphes sp. (scale insect)	. Gumamelo cuttings	Do. Hawaii.
Monomorium pharaonis (Pharaoh's ant) Mylabris chinensis (Mylabridae)	Unknown Beans (3)	Do.
Do	Seed.	Do.
Necrobia rufipes (red-legged ham beetle)	Solanum tuberosum (Irish potato)	Louisiana.*
Oniscus sp. (isopod)	. In soil about Marila grass	Pennsylvania.*
Oryzaephilus surinamensis (saw-toothed grain beetle).	Mangifera indica (mango) seed	California.
Parlatoria pergandii (chaff scale)		Hawaii.
Pheidole sp. (ant)	. Tree seeds.	Do. Pennsylvania.*
Porcellio sp. (isopod)	. In soil about canna plant	Hawaii.
Prenolepis sp. (ant)	Unknown Gumamela, purple	
Rhizopertha dominica (lesser grain borer)	Rice (4)	Do.
Saissetia hemisphaerica (hemispherical scale)	Eranthemum purpurem cuttings	Do.
Scarabaeid	. In soil about Manila grass	Pennsylvania.*
Scolytid		Hawaii.
Solenopsis geninata (ant)		Do.
Sublina sp. (Mollusca)	. In soil about canna plant	Pennsylvania.* Do.*
Tetramorium caespitum (ant)	do	Do.*
Do Tribolium sp. (Tenebrionidae)	Mangifera indica (mango) seed	California.
Diseases:	. manguera marca (mango) secu	Contioning.
Cladosporium citri	. Citrus sinensis (orange)	Hawaii.
Melanconium sacchari	. Saccharum sp	California.
Pseudomonas citri	Citrus sinensis (orange)	Hawaii

List, by countries, of pests collected and reported from January 1, 1922, to December 31, 1922, inclusive—Continued.

Country of origin and name of pest.	Host.	Collected in—
POLAND.		
Insect:		
Pyralis farinalis (Pyralidae)	Broom corn	New York.*
PORTO RICO.		
Insects:	Citmum an	New York.*
Aleurothrixus floccosa (whitefly)	Citrus sp	Do.*
Aleurothrizus howardi (woolly whitefly)	Citrus grandis (grapefruit) leaves	Do.*
Aleurothrixus sp. (whitefly)	Cocos nucifera (coconut) stem	Do.*
	Musa sp. (banana) leaves	Do.*
Do	Musa sp. (banana) leaves (2)	Do.*
Do	Pandanus sp. (2)	Do.*
Aspidiotus palmae (scale insect)	Musa sp. (banana) leaves	Do.*
Aspidiotus sp. (scale insect)	Mangosteen	Do.*
Aulacaspis pentagona (West Indian peach	Carica papaya (papaya)	Do.*
scale).		
Do	Tubers of white Guinea yam	District of Columbia.
Chrysomphalus dictyospermi (scale insect)	Musa sp. (banana) leaves	New York.*
Do	Ornamental palm.	Porto Rico.
Diaspis boisduvalii (Boisduval's scale)	Cocos nucifera (coconut palm)	New York.*
Do	Palms	Do.* Do.*
Eucalymnatus tessellatus (tessellated scale).		Do.* Do.*
Euscepes batatae (West Indian sweet-potato weevil).	Ipomoea batatas (sweet potato)	
Genopascia protomis (Pyralidae)	. Ananas sativus (pineapple)	Do.*
Hemichionaspis minor (scale insect)	Cocos nucifera (coconut) stem	Do.*
Ischnaspis longirostris (thread scale)	Ornamental palm	Porto Rico.
Lepidosaphes beckii (purple scale)	Citrus grandis (grapefruit)	California.
Do	. do	New York.*
Do	Citrus sinensis (orange)	California.
<u>D</u> o		New York.*
_ Do	do	Pennsylvania.*
Pectinophora gossypiella (pink bollworm)	Gossypium sp. (cotton seed)	New York.*
Pinnaspis buxi (scale insect)		Porto Rico.
Prenolepis longicornis (crazy ant)	Musa sp. (banana) leaves	New York.*
Pseudaonidia articulatus (rufous scale)	Citrus grandis (grapefruit)	Do.*
Do	Citrus sinensis (orange)	Do.* Do.*
Pseudococcus bromeliae (pineapple mealybug	Ananas sativus (pineapple)	
Do	Colocasia esculentum	District of Columbia.
Pseudococcus nipae (palm mealybug)	Cocos nucifera (coconut palm)	New York.* Do.*
Saissetia hemisphaerica (hemispherical scale)	Annona muricata (sour sop)	Do.*
StenomidVinsonia stellifera (star scale)	Citrus grandis (grapefruit)	Do.*
Do	Cocos nucifera (coconut palm)	Do.*
Do	Musa sp. (banana) leaves	Do.*
Do	Palms.	Do.*
Disease:	. I aimb	D 0.
Phomopsis citri	Citrus grandis (grapefruit)	California.*
PORTUGAL.		
Insects		,
Aspidiotus hederae (ivy scale) Tenebrio obscurus (dark mealworm)	Carob budwooddodo	District of Coulmbia.
RUSSIA.	,	
Disease:		
Spongospora subterranea	. Solanum tuberosum (Irish potato)	New York.*
SAMOA.		
Insects:	0.111	C-1:6
Chrysomphalus rossi (scale insect) Pseudococcus nipae (palm mealybug)	Palms	California. Do.

Country of origin and name of pest.	Host.	Collected in—
SIAM.		
Insects: Chrysomphalus aurantii (California red scale). Hemichionaspis aspidistrae (aspidistra scale).	Citrus grandis (pomelo)do	California. Do.
Rhizoglyphus sp. (mite) Do	do	District of Columbia. New York.*
Disease: Pseudomonas citri	Citrus grandis (grapefruit)	California.
SICILY.		
Insect: Mylabris rufimanus (Mylabridae)	English broad beans	New York.*
SOUTH AFRICA.		
Insects: Carpophilus sp. (Nitidulidae) Lepidosaphes beckii (purple scale)	Solanum tuberosum (Irish potato) Citrus sinensis (orange)	Do.*
Phthorimaea operculella (potato tuber moth) Pyralid Sitodrepa panicea (drug-store beetle)	Solanum tuberosum (Irish potato) Phoenix reclinata	Do.*
	Tiominately of Admirate Books	20.
SOUTH AMERICA. Insects:		
Lepidosaphes beckii (purple scale)	Citrusdo	District of Columbia. Do.
Disease: Botrytis	Solanum tuberosum (Irish potato)	Florida.
SPAIN.		
Insects: Aonidia lauri (scale insect)	Laurus nobilis (bay leaves)	New York.*
Aspidiotus camelliae (scale insect)	Pyrus communis (pear)	Florida.
Aspidiotus hederae (ivy scale)	AlgarobaCeratonia siliqua (carob tree)	District of Columbia.
Do	Unknown plant	Pennsylvania.*
Aspidiotus lataniae (scale insect)	Palm	New York.*
Cathartus advena (foreign grain beetle) Lepidosaphes gloverii (Glover's scale)	Almonds Citrus limonia (lemon)	California. Pennsylvania.*
Mylabris rufimanus (Mylabridae)	Habas granadina seed	District of Columbia.
Mylabris signaticomis (Mylabridae)	Ervum lens seed (2). Ervum moranthos seed	Do.
Mylabris sp. (Mylabridae)	Olive	Do. Do.
Parlatoria oleae (scale insect)	do	Do.
Parlatoria pergandii (chaff scale) Pyralid	Citrus limonia (lemon)	Pennsylvania.*
Sitodrepa panicea (drug-store beetle) Diseases:	Cardoon seed	District of Columbia.
Actinomyces scabies		
Colletotrichum gloeosporioides	Citrus sinensis (orange) Solanum tuberosum (Irish potato)	Florida. Pennsylvania.*
FusariumPenicillium (blue mold)	Citrus sinensis (orange)	Florida.
Stysanus stemonites		Pennsylvania.*
SPANISH HONDURAS.	and with the first term of the	
Insects:		1
Camponotus sp. (ant)		Pennsylvania.* New York.*
Ligyrus ebenus (Scarabaeidae) Pheidole sp. (ant)	Musa sp. (banana) leaf rubbish	Pennsylvania.* Do.*
ST. KITTS.		
Insects:	TT Distance I was	37 37 1 4
Chrysomphalus personatus (masked scale) Pectinophora gossypiella (pink bollworm)		Do.*

Country of origin and name of pest.	Host.	Collected in—
· STRAITS SETTLEMENTS.		
nsects:		*
Anisolabis sp. (earwig)	Solanum tuberosum (Irish potato) Cocos nucifera (coconut)	Pennsylvania.* Hawaii.
SUDAN.		
nsects:		D:
Calendra oryzae (rice weevil)Lyctid	Sorghum seed	District of Columbia.
Mylahris en (Mylahridae)	do Acacia senegai, Hashab	Do. Do.
Mylabris sp. (Mylabridae). Tribolium ferrugineum (rust-red flour beetle).	Holcus sorghum	Do. •
SWEDEN.		
nsects:	T	37 37 1 M
Agriotes lineatus (Elateridae).	In soil about roots of spruce trees	New York.*
Chionaspis salicis (scale insect) Ephestia kuehniella (Mediterranean flour	Salix sp. (willow)	Do.* Pennsylvania.*
moth). Myrmica levinodis (ant)	. In soil around myrtle and geranium	New York.*
•	plants.	ZION ZUIA.
Oryzaephilus surinamensis (saw-toothed grain beetle).	•	Pennsylvania.*
Tenebioides mauritanicus (cadelle)	. do	Do.*
SWITZERLAND.		
ngects:		aggraph graph and war
Agriotes lineatus (Elateridae)	In soil around dahlia roots	New York.* District of Columbia
TAHITI.		
nsects:		G 114 .
Chrysomphalus aurantii (California red scale)	. Citrus sinensis (orange).	California.
Hemichionaspis minor (scale insect)		Do. Do.
Lepidosaphes beckii (purple scale) Do		Do.
Do		Do.
TONGATABU ISLAND.		
nsects:	Vama	California
Anisolabis annulipes (earwig)	. ramsdo	California.
Euxestus parkii (Triplacidae)	-do	Do.
Hemichionagnis sp. (scale insect)	do.	l Do.
Pseudococcus citri (citrus mealybug)	. do	Do.
Tylococcus sp. (scale insect)	. do	Do.
TRINIDAD.		
nsects:	Coord nucifore (cocenut nalm)	Florida
Aleurodicus cocois (whitefly) Aspidiotus destructor (scale insect)	do	Do
Rephrete an (seed chalcid)	Annona muricata (sour son) seeds	New York *
Chrysomphalus dictyospermi (scale insect)	. Cocos nucifera (coconut palm)	Florida.
Chrysomphalus dictyospermi (scale insect). Euscepes batatae (West Indian sweet potato	Ipomoea batatas (sweet potato)	Do.
weevil). Hemichionaspis minor (scale insect)	. Cocos nucifera (coconut palm)	Do.
Do	Hibiscus sp	
Ischnaspis longirostris (thread scale)	Orchid leaf	. Do.*
Lepidosaphes beckii (purple scale)	Citrus sp. (leaves and stems)	. Do.*
Pheidole megacephala (ant)	Orchids.	Do.*
Pseudaonidia articulatus (rufous scale) Pyralid	Palm	Florida. New York.*
TURKS ISLAND.		
Insects: Ditoma sp. (Colydiidae)	Inamaga hatatag (mtt	Pennsylvania.*

Country of origin and name of pest.	Host.	Collected in—
VENEZUELA. Insect:		•
Aspidiotus lataniae (scale insect)	Rosa sp. (rose)	New York.*
VIRGIN ISLANDS.		
Insects: Alphitobius piceus (Tenebrionidae) Diatraea saccharalis (sugar-cane borer) Metoponorthus pruinosus (isopod) Sicinus guatemalensis (Tenebrionidae)	Saccharum officinarum (sugar-cane) In soil around cactus	New York.* Pennsylvania.*
Disease: Diplodia opuntiae	Opuntia sp. (Indian fig)	Do.*
WALES.		
Insect: Aspidiotus hederae (ivy scale) Disease:	Palm leaf	Pennsylvania.*
Actinomyces scabies	Solanum tuberosum (Irish potato)	Florida.
WEST INDIES.		
Lepidosaphes beckii (purple scale)	Citrus sinensis (orange)do	California. Do.
Disease: Heterodera radicicola		Florida.

ADDITIONAL COPIES
OF THIS PUBLICATION MAY BE PROCURED FROM
THE SUPERINTENDENT OF DOCUMENTS
GOVERNMENT PRINTING OFFICE
WASHINGTON, D. C.
AT
5 CENTS PER COPY

5 CENTS PER CUPY
PURCHASER AGREES NOT TO RESELL OR DISTRIBUTE THIS
COPY FOR PROFIT.—PUB. RES. 57, APPROVED MAY 11, 1922

 ∇